# Safety Data Sheet

De-Ice



# SECTION I - IDENTIFICATION

PRODUCT NAME: De-Ice PRODUCT CODE: 764298 PRODUCT USE: Ice removal COMPANY NAME: North Woods COMPANY ADDRESS: 4415 S Taylor Drive Sheboygan, WI 53081 COMPANY PHONE: 920-457-4481 EMERGENCY PHONE: 800-535-5053

#### SECTION II - HAZARDS IDENTIFICATION

CLASSIFICATION: Flammable Aerosol: Category 1

Dissolved Gas

Actue Toxicity (Oral / Inhalation / Dermal): Category 3

Specific Target Organ Toxicity (Single Exposure): Category 1

**HAZARD STATEMENT(S): DANGER:** Extremely Flammable Aerosol. Contains gas under pressure: May explode if heated. Contains gas under pressure; May explode if heated. Toxic if swallowed, in contact with skin, and if inhaled. Causes damage to organs.

This product contains the following percentage of chemicals of unknown toxicity: 0%

**PRECAUTIONARY STATEMENTS:** Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Wear protective gloves. Wash hands thoroughly after handling. Do not eat, drink, or smoke when using this product. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. If swallowed: Immediately call a poison center or doctor. Rinse mouth. If on skin: Wash with plenty of water. Call a poison center or doctor if you feel unwell. If inhaled: Remove person to fresh air and keep comfortable for breathing. If exposed: Call a poison control center or doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. Dispose of contents and container in accordance with local, state, and national regulations.

#### SYMBOL:



#### HAZARDS NOT OTHERWISE CLASSIFIED: N/A

#### SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
Carbon Dioxide	124-38-9	3-7%
Ethylene Glycol	107-21-1	5-10%
Isopropyl Alcohol	67-63-0	1-5%
Methanol	67-56-1	60-100%

#### **SECTION IV - FIRST AID MEASURES**

**EYES:** Immediately flush with water for 15 minutes while holding eyelids open. Seek immediate medical attention. **INGESTION:** Seek immediate medical attention.

**INHALATION**: Move to fresh air. If breathing is difficult, administer oxygen. If not breathing administer artificial respiration or at any sign of loss of consciousness seek immediate medical attention.

SKIN: Immediately wash with water for 15 minutes.

**ACUTE HEALTH HAZARDS:** Inhalation of vapors may be narcotic and can be fatal. Ingestion of liquid will cause gastrointestinal distress, irritation, possibly nausea, and can be fatal. Liquid or vapors may be irritating to skin and eyes.

### **Safety Data Sheet**

De-Ice

CHRONIC HEALTH HAZARDS: May cause damage to the following: blood, kidneys, liver, mucous membranes, bone marrow, central nervous system (CNS).

**NOTE TO PHYSICIAN:** There is no specific treatment regimen. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

### SECTION V – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Carbon dioxide, standard chemical fire extinguisher, and water fog.

**UNSUITABLE EXTINGUISHING MEDIA:** Water spray/stream.

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Avoid contact with skin and breathing smoke, fumes, and decomposition products. Cool fire exposed containers with water fog to prevent bursting.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Contents under pressure. Exposure to temperatures above 120°F may cause bursting. Flammable.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon

#### SECTION VI – ACCIDENTAL RELEASE MEASURES

**PERSONAL PROTECTIVE EQUIPMENT:** Refer to section VIII for proper Personal Protective Equipment.

**SPILL:** Absorb with non-combustible material like vermiculite, sand or earth and rinse with small amount of soapy water. Do not allow to drain into sewers or storm drains. Dispose of in accordance with local, state and federal regulations.

**WASTE DISPOSAL:** Dispose of in accordance with federal, state, and local regulations. Do not dump in sewers. Wrap container and place in trash collection, do not puncture, incinerate, or reuse container.

RCRA STATUS: Product should be fully characterized prior to disposal (40 CFR 261).

#### SECTION VII – HANDLING AND STORAGE

HANDLING AND STORAGE: Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Pressurized container: Do not pierce or burn, even after use.

**OTHER PRECAUTIONS:** Keep out of the reach of children.

**INCOMPATIBILITY:** Strong oxidizing agents.

#### SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Carbon Dioxide	5000 ppm	5000 ppm
Ethylene Glycol	125 mg/m3	100 mg/m3
Isopropyl Alcohol	400 ppm	200 ppm
Methanol	200 ppm	200 ppm

ENGINEERING CONTROLS / VENTILATION: General ventilation and local exhaust should be adequate.

**RESPIRATORY PROTECTION:** Wear NIOSH/MSHA approved respiratory protection if used in confined, poorly ventilated areas.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses and chemical resistant gloves

ADDITIONAL MEASURES: Wash hands thoroughly after handling. Do not breathe vapors. Do not eat, drink, or smoke while using product. Get medical attention if you feel unwell.

#### SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear, Colorless Aerosol ODOR: Alcohol Odor ODOR THRESHOLD: N/D BOILING POINT: > 148°F (64.4°C) FREEZING POINT: N/D FLAMMABILITY: Extremely Flammable Aerosol FLASH POINT: 65°F (18°C) AUTOIGNITION TEMPERATURE: N/D LOWER FLAMMABILITY LIMIT: N/D

# Safety Data Sheet

De-Ice

UPPER FLAMMABILITY LIMIT: N/D VAPOR PRESSURE (mm Hg): 89 mmHg VAPOR DENSITY (AIR=1): > 1 EVAPORATION RATE: > 1 SPECIFIC GRAVITY (H2O=1): 0.815 @ 77° F (25° C) pH: N/A SOLUBILITY IN WATER: 100% PARTITION COEFFICIENT: n-OCTANOL/WATER (K<sub>ow</sub>): N/D VOLATILE ORGANIC COMPOUNDS (VOC): 88.8% DECOMPOSITION TEMPERATURE: N/D VISCOSITY: N/D

#### SECTION X – STABILITY AND REACTIVITY DATA

REACTIVITY: None Known CHEMICAL STABILITY: Stable CONDITIONS TO AVOID: Temperatures greater than 122°F may cause bursting. INCOMPATIBILITY: Strong oxidizing agents. HAZARDOUS DECOMPOSITION OR BY-PRODUCT: Oxides of carbon POSSIBLE HAZARDOUS REACTIONS: None Known

#### SECTION XI – TOXICOLOGICAL INFORMATION

**TOXICOLOGICAL INFORMATION:** Isopropyl Alcohol (67-63-0) Oral LD<sub>50</sub> (Rat): 5045mg/kg; Dermal LD<sub>50</sub> (Rabbit):

12870mg/kg; Inhalation LC<sub>50</sub> (Rat, 4h): 78.6 mg/L Methanol (67-56-1) Oral LD<sub>50</sub> (Rat) 1187-2769 mg/kg; Inhalation LC<sub>50</sub>

(Rat, 4h) 128.2 mg/l Ethylene Glycol (107-21-1) LD<sub>50</sub> (Oral, Rat) 4700 mg/kg; LC<sub>50</sub> (Rat, 4 hrs) 10876 mg/kg

ROUTES OF ENTRY: Eyes, Ingestion, Inhalation, Skin

**EYES:** Causes severe irritation, redness, tearing.

**INGESTION:** Not a likely route of exposure under normal product handling conditions.

**INHALATION:** Acute exposure may cause nausea, vomiting, coughing and pulmonary irritation.

**SKIN:** Causes localized defatting, irritation.

**MEDICAL CONDITION AGGRAVATED:** Pre-existing disorders of the skin, respiratory system, and eyes will be aggravated by over exposure.

**ACUTE HEALTH HAZARDS:** Inhalation of vapors may be narcotic and can be fatal. Ingestion of liquid will cause gastrointestinal distress, irritation, possibly nausea, and can be fatal. Liquid or vapors may be irritating to skin and eyes.

CHRONIC HEALTH HAZARDS: May cause damage to the following: blood, kidneys, liver, mucous membranes, bone marrow, central nervous system (CNS).

CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: No OTHER: N/A

# SECTION XII – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Isopropyl Alcohol (67-63-0) LC<sub>50</sub> (Fathead Minnow, 96 hrs) 9640 mg/L

**BIODEGRADABILITY:** This product is biodegradable.

BIOACCUMULATION: This product is not expected to bioaccumulate.

**SOIL MOBILITY:** This product is mobile in soil.

OTHER ECOLOGICAL HAZARDS: None Known

#### SECTION XIII – DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:** Dispose of in accordance with federal, state, and local regulations. Do not dump in sewers. Wrap container and place in trash collection, do not puncture, incinerate, or reuse container.

**RCRA STATUS:** Product should be fully characterized prior to disposal (40 CFR 261).

#### SECTION XIV - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Aerosols, Ltd. Qty. HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN 1950

#### Safety Data Sheet De-Ice

PACKAGING GROUP: N/A

AIR SHIPMENT PROPER SHIPPING NAME: Aerosols, Ltd. Qty. HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN 1950 PACKAGING GROUP: N/A

SHIPPING BY WATER:VESSEL (IMO/IMDG)PROPER SHIPPING NAME: Aerosols, Ltd. Qty.HAZARD CLASS/DIVISION: 2.1UN/NA NUMBER: UN 1950PACKAGING GROUP: N/AENVIRONMENTAL HAZARDS WATER: N/A

## SECTION XV - REGULATORY INFORMATION

TSCA STATUS: All Chemicals are listed or exempt. CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Methanol (67-56-1) Reportable Quantity = 5,000 lbs Ethylene Glycol (107-21-1) Reportable Quantity = 5,000 lbs SARA 311/312 HAZARD CATEGORIES: Fire Hazard SARA 313 REPORTABLE INGREDIENTS: Methanol (67-56-1), Ethylene Glycol (107-21-1) **CLEAN WATER ACT:** None STATE REGULATIONS: This product contains chemicals known to the state of California to cause birth defects or other reproductive harm: Methanol (67-56-1) Isopropyl Alcohol (67-63-0) RTK: FL, NJ, PA, MN, MA, RI **INTERNATIONAL REGULATIONS:** All components are listed or exempted. **NFPA HEALTH:** 3 **HMIS HEALTH:** 3 NFPA FLAMMABILITY: 3 HMIS FLAMMABILITY: 3 **NFPA REACTIVITY:** 1 **HMIS REACTIVITY:** 1 **NFPA OTHER:** None **HMIS PROTECTION:** В

#### SECTION XVI - ADDTIONAL INFORMATION

**DATE PREPARED:** 01/16/2014 **REVISION DATE:** 10/06/2017

N/A = Not Applicable; N/D = Not Determined

**DISCLAIMER:** To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.