2/17/14



Version 1

Chase Issue date 24-Jun-2015

A MICENTICENCOMONANE SADSTARCE/ PRECENCINGING A LIBERCH MEE

Product Identifier Product name **Chemical name**

Other means of identification **Product code** Synonyms Registration number(s)

SPRAYPAK SPRAY DISINFECTANT 7-9761-1

FG 433-4104-4 **Disinfectant Spray** 498-179

SPRAYPAK SPRAY Disinfectant

Recommended use of the chemical and restrictions on use **Recommended Use** For disinfection of hard, non-porous, inanimate surfaces. Uses advised against Do not spray on varnished, painted or plastic surfaces.

Details of the supplier of the safety data sheet

Supplier Address Chase Products Co. 2727 Gardner Road Broadview, IL 60155 708-273-1121 Emergency Telephone Number **Company Phone Number** 24 Hour Emergency Phone Number 1-800-255-3924 **Emergency telephone**

708-865-1000 ChemTel 1-800-255-3924

Manufacturer Address Chase Products Co. 2727 Gardner Road Broadview, IL 60155 708-273-1121

Classification

Continue dans de la contractione	
Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Calegoly ZA
- D WINADEL AEROSOLS	Category 2
Gases Under Pressure	
	liquefied gas

2 HEZERGEN REAMINE AND

Label Elements

 (A_1, B_2, μ_1)

EMERGENCY OVERVIEW

warning		
hazard statements Causes serious eye irritation Flammable Aerosol Contains gas under pressure; may explode	e if heated	
	\Rightarrow	A
Appearance Hazy, yellow liquid	Physical State Aerosol	Odor Perfumed.

Precautionary Statements - Prevention

Page 1/8

a she was a second a star of the second s

. 43

di Mayo

and the second second

NA COMAN AND

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves, protective clothing, eye protection and face protection. Keep away from heat, sparks, open flames and hot surfaces. — No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Hazards not otherwise classified (HNOC)

Other Information

Toxic to aquatic life with long lasting effects
0.69% of the mixture consists of ingredient(s) of unknown toxicity

Composition/information on intradients

Synonyms Chemical Family Formula Chemical nature Disinfectant Spray. MIXTURES. 7-9761-1

Aqueous solution of alcohol and other active ingredients.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	45-50	*
Ethyl alcohol	64-17-5	30-35	*
N-Butane	106-97-8	10-15	*
Propane	74-98-6	1-5	*
Chemical Additions Sea Jaho	for optime imprediants informati		

Gremical Additions

See label for active ingredients information.

* The exact percentage (concentration) of composition has been withheld as a trade secret.

FIRST AID MEASURES

Eye ContactHold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact
lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control
center or doctor for treatment advice.Skin contactWash with soap and water. If irritation develops, consult a physician .inhalationIf overcome by vapor, move person to fresh air.INGESTIONIngestion from an aerosol product is unlikely to occur.Most important symptoms and effects. both acute and delayedSymptomsAcute, Deliberate inhalation of concentrated vapor or mist may cause headaches.
Prolonged and repeated contact with the eyes may cause mild irritation.Indication of any immediate medical treatment needed

Note to physicians

None needed.

Page 2/8

and the second second second second

A start water and the second start and the start of the s

<u>Suitable extinguishing media</u> Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

6 Andoldentel

Personal precautions, protective	equipment and emergency procedures
Personal precautions	CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.
Other Information	Keep out of reach of children.
Environmental Precautions	
Environmental Precautions	See Section 12 for additional Ecological Information.
Methods and material for containn	nent and cleaning up
Methods for Containment	Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.
Methods for cleaning up	Clean contaminated surface thoroughly.
Precautions for safe handling	
Advice on safe handling	Avoid getting spray into eyes. Keep out of reach of children.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing temperatures. AEROSOL STORAGE LEVEL I (NFPA-30B) .
Incompatible Materials	Avoid heat, open flame and contact with strong oxidizers.

A SALE IN A SALE

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

	Chemical name	ACGIH TLV		
	Ethyl alcohol		OSHA PEL	NIOSH IDLH
	64-17-5	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
.]		· ·	TWA: 1900 mg/m ³	TWA: 1000 ppm
•			(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³

-		(vacated) TWA: 1900 mg/m ³	······································
N-Butane	STEL: 1000 ppm	(vacated) TWA; 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
Propane	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6		TWA: 1800 mg/m ³	TWA: 1000 ppm
•		(vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m3	TWA: 1800 mg/m ³

Appropriate engineering controls

Engineering controls

ols Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection	Conventional eyeglasses to guard against splashing.
Skin and Body Protection	Household type gloves, if desired.
Respiratory protection	None required if used in a well-ventilated area.

General hygiene considerations None required.

The second se

Information on basic physical and chemical properties

Physical State Appearance Color

Property pH Melting point/freezing point Boiling point/boiling range Flash Point

Evaporation Rate Flammability (solid, gas) Flammability Limits in Air

Upper flammability limits Lower Flammability Limit Vapor pressure Vapor Density Relative Density Water solubility Solubility in other solvents Partition coefficient Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxldizing properties

Other Information

Softening point Molecular weight VOC content (%) Density Aerosol Hazy, yellow liquid clear

Values 10.5 +/- 0.5

NA 212 °F/100 °C Not available. This is an aerosol product for which Flame Projection is 6-8 inches without flashback. Temperatures above 120 F may cause cans to burst. Faster than butyl acetate

Not available Not available Not available

0.92 concentrate completely soluble

No information available No information available

No information available No information available 51.32% No information available

Odor Odor threshold

Remarks • Method No information available No information available No information available No information available

Perfumed.

No information available

No information available No information available No information available

No information available No information available No information available No information available No information available No information available No information available No information available No information available

 $\delta \alpha_{n,n} \in [0,\infty)$

Page 4/8

Bulk Density

8.33 Lb/gal

MustabilivantiReactivity

Reactivity

Not applicable no data available

Chemical stability Stable.

Possibility of hazardous reactions Temperatures above 130 °F may cause cans to burst with force. hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid Temperatures above 122 °F (50 °C). **Incompatible Materials** Avoid heat, open flame and contact with strong oxidizers. Hazardous decomposition products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

Information on likely routes of exposure

Product Information

Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation.

inhalation	See data below.
Eye Contact	no data available.
Skin contact	no data available.
INGESTION	This is an aerosol p SWALLOWED.

roduct, ingestion is unlikely to occur. MAY BE HARMFUL IF

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	•	-
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)		≂ 124.7 mg/L (Rat) 4 h
V-Butane 106-97-8	-	- -	= 658 g/m³ (Rat) 4 h
Propane 74-98-6		-	= 658 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms

See information above.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitization	No information available.
Germ Cell Mutagenicity	No information available.
carcinogenicity	Not known chronic effects based on available information.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.

Page 5/8

. . . .

Numerical measures of toxicity - Product Information

Unknown acute toxicity

ATEmix (inhalation-gas) ATEmix (inhalation-vapor)

0.69% of the mixture consists of ingredient(s) of unknown toxicity The following values are calculated based on chapter 3.1 of the GHS document . 10000000 16447.4 mg/l

ecotoxicity

20.99% of the mixture consists of components(s) of unknown hazards to the aquatic environment

mical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
nyl alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50

a ngalaccionical information

Persistence and degradability

No information available.

Bioaccumulation

See information below.

Chemical name	Partition coefficient
Ethyl alcohol 64-17-5	-0.32
N-Butane 106-97-8	2.89
Propane 74-98-6	2.3

A G.Disposel Consideration

Other adverse effects

No information available

Waste treatment methods

Disposal of wastes	Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if
	available. If partly filled: Call your local solid waste agency for disposal instructions.

Contaminated packaging

Pressurized container: Do not pierce or burn, even after use.

Chemical name	California Hazardous Waste Status
Ethyl alcohol	Toxic
64-17-5	Ignitable

14 Itansportinformation

Note:

The following information is for aerosols with less than 17 oz net weight when shipped by road.

DOT

UN/ID no **Proper Shipping Name** **Consumer Commodity** Limited Quantity Consumer Commodity

Page 6/8

Hazard Class

ORM-D

ICAO (air)

The following information is for aerosols less than 17 oz net weight when shipped by air. ID8000

UN/ID no **Proper Shipping Name** Hazard Class

Consumer Commodity or Limited Quantity 9 (packaging instructions Y963)

15 REPUBLICATION INTO A PROPERTY AND

International Inventories TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

DSL Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product does not contain toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	ves
Chronic Health Hazard	No
Fire Hazard	ves
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	·····		X
Ethyl alcohol 64-17-5	X	X	x
N-Butane 106-97-8	X	X	X
Propane 74-98-6	X	X	X

U.S. EPA Label information

EPA Pesticide registration number 498-179 EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: May cause eye irritation. Avoid contact with the eyes and skin. Avoid breathing of spray mist. Avoid

		- Herleither Intern	iton i det li i i	
NFPA	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical Hazards 1	properties Not applicable Personal Protection A - Eyes protection
Prepared by Issue date Revision note	Regulato 24-Jun-20	ry Department 015		

This SDS supersedes a previous MSDS dated January 17, 2011. Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet