

Material Safety Data Sheet OSHA's Hazard Communication Standard U.S. Department of Labor

29 CFR 1910.1200

OMB No. 1218-0072

Identity # 388070; 388074 Name ANTIBA	ACTERIAL HAND SOAP
Section 1 Manufactured For - Waxie Sanitary Supply Address - 9353 Waxie Way Emergency Phone (Chem-Tel) 1-(City - San Diego State - CA 92123-1036 Phone - (800) 995	
Date Prepared- 4/6/2005	
Section 2 - Hazardous Ingredients/Identity Information	
Hazardous Components CAS# OSHA PEL ACGIH	TLV Weight% (Optional)
None NONE NONE NONE	
Note:	
VOC Content- None g/L	
Section 3 - Physical/Chemical Characteristics	
Boiling Point- >212 F Vapor Pressure - Not Tested Vapor Density - Not Tested	pH- 6.5-8.0
Solubility In Water- 100%	Specific Gravity- 1.020
Appearance and Odor- PINK/FLORAL ODOR	Melting Point - Not Tested Evaporation Rate - Not Tested
Castian 4. Fire and Firelation Userand P-1	
Section 4 - Fire and Explosion Hazard Data	
Section 4 - Fire and Explosion Hazard Data Flash Point- None Elammable Limits - Not Tested	
Flash Point- None Flammable Limits - Not Tested	
Flash Point- None Flammable Limits - Not Tested LEL- Not Tested UEL- Not Tested DOT# NONE	
Flash Point- None Flammable Limits - Not Tested LEL- Not Tested UEL- Not Tested DOT# NONE NFPA Hazard Rating - H F R S HMIS Hazard Rating - H	
Flash Point- None Flammable Limits - Not Tested LEL- Not Tested UEL- Not Tested DOT# NONE NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 0	
Flash Point- None Flammable Limits - Not Tested LEL- Not Tested UEL- Not Tested DOT# NONE NFPA Hazard Rating - H F R S HMIS Hazard Rating - H	
Flash Point- None Flammable Limits - Not Tested LEL- Not Tested UEL- Not Tested DOT# NONE NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY FOAM O	
Flash Point- None Flammable Limits - Not Tested LEL- Not Tested UEL- Not Tested DOT# NONE NFPA Hazard Rating - H F R S HIS Hazard Rating - H F R S HMIS Hazard Rating - H (0- Least, 4- Extreme) 0 0 0 Extinguishing Media- CO2, DRY FOAM Special Fire Fighting Procedures NONE	
Flash Point- None Flammable Limits - Not Tested LEL- Not Tested UEL- Not Tested DOT# NONE DOT# NONE NFPA Hazard Rating - H F R S HMIS Hazard Rating - H (0- Least, 4- Extreme) 0 0 0 Extinguishing Media- CO2, DRY FOAM Special Fire Fighting Procedures NONE Unusual Fire and Explosion Hazards- NONE	
Flash Point- None Flammable Limits - Not Tested LEL- Not Tested UEL- Not Tested DOT# NONE DOT# NONE NFPA Hazard Rating - H F R S HMIS Hazard Rating - H (0- Least, 4- Extreme) (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY FOAM Special Fire Fighting Procedures NONE Unusual Fire and Explosion Hazards- NONE Section 5 - Reactivity Data Stability - Stable Stability - Stable	

Hazardous Polymerization- NONE

Section 6 - Health Hazard Data

Routes of Entry Inhalation? - Possible Skin? - Possible Ingestion? - Possible Health Hazards - Same as Signs and Symptoms of Exposures Note - All Chemicals in this Product are Found on the TSCA Inventory List. OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

388070; 388074

Signs and symptons of over exposure:

Eyes - Burning Sensation

Skin- Not Expected to be a Problem

Ingestion-Nausea

Inhalation- Not Expected to be a Problem

Medical Conditions Generally Aggravated by Exposure - Same as Signs and Symptoms of Over Exposure.

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Skin- Wash Off With Water

Ingestion- Drink Large Amounts of Water, Call Physician

Inhalation- Not Expected to be a Problem

Section 7 - Precautions For Safe Handling and Use. Steps to be taken in case material is released or spilled - Contain with an inert, absorbent material. Collect in an approved container and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordance with state and local regulations. Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required. Ventilation Local Exhaust - If Available Special - None Mechanical - If Available Other - None

Protective Gloves- None

Eye Protection- None

Other Protective Clothing or Equipment- None

Hygienic Work Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements

Note: Waxie believes the data set forth are accurate, Waxie makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion