MATERIAL SAFETY DATA SHEET

	1. Product and Company Identification		
Product number	RA008		
Product name	DISINFECTANT SPRAY		
Effective date	01-Feb-2011		
Company information	PRO LINK 500 CHAPMAN CANTON, MA 02021 United States		
Company phone	General Assistance 630-543-7600		
Emergency telephone US	800-424-9300		
Emergency telephone outside US	703-527-3887		
Version #	08		
Supersedes date	04-Mar-2010		
	2. Hazards Identification		
Emergency overview	Aerosol. CONTENTS UNDER PRESSURE. Harmful in contact with eyes. Can cause adverse reproductive effects - such as birth defects, miscarriages, or infertility. Cancer hazard. Prolonged exposure may cause chronic effects. Flammable.		
Potential health effects			
Routes of exposure	Eye contact. Skin contact. Ingestion.		
Eyes	Moderately irritating to the eyes.		
Skin	Harmful if absorbed through the skin. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.		
Inhalation	Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Prolonged inhalation may be harmful.		
Ingestion	Exposure by ingestion of an aerosol is unlikely. May cause delayed lung damage. Components of the product may be absorbed into the body by ingestion.		
Target organs	Blood. Central nervous system. Liver. Lungs.		
Chronic effects	Unconsciousness. Cyanosis (blue tissue condition, nails, lips, and/or skin). Liver injury may occur. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. May cause delayed lung injury.		
Signs and symptoms	Discomfort in the chest. Narcosis. Cyanosis (blue tissue condition, nails, lips, and/or skin). Coughing. Liver enlargement. Jaundice. Defatting of the skin. Skin irritation. Corneal damage.		
3	3. Composition / Information on Ingredients		
Components	CAS # Percent		

Components	CAS #	Percent
Ethyl Alcohol	64-17-5	40 - 50
n-Butane	106-97-8	15 - 20
Propane	74-98-6	5 - 8
Methanol	67-56-1	1 - 3
Non-hazardous and other components below reportable levels		20 - 40

4. First Aid Measures		
First aid procedures		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.	
Product name: DISINFECTANT SP		

Product #: 015-003 Revision date: 01-FEB-2011 Print date: 01-FEB-2011

Inhalation	is greater person(s)	than the TLV or health e to fresh air. Get medica	st/mist from the material is affects are noticed), immedi I attention if symptoms pers	sist.	
Ingestion			contact a physician or pois	son control center.	
Notes to physician	Keep victi	m under observation.			
	5	Fire Fighting Mea	asures		
Flammable properties	the distant isolition pourses and flack back Ru			h back. Runoff to sewer may	
Extinguishing media Suitable extinguishing me	dia Foam. Dr	Foam. Dry chemical. Carbon dioxide (CO2).			
Protection of firefighters Protective equipment and precautions for firefighter				iners should be cooled with	
	6. A	ccidental Release	Measures		
Methods for containment	leak is irre	eparable. Stop the flow	of material, if this is without	a safe and open area if the risk.	
Methods for cleaning up	Use a nor and place	n-combustible material li into a container for late	ke vermiculite, sand or ear r disposal.	th to soak up the product	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.				
		7. Handling and St	orage		
Handling	or until sp	prayed surface is thorougentilation. Do not use if	ghly dry. Use only in area p spray button is missing or o	defective. Do not re-use	
	dust/fume	e/gas/mist/vapors/spray.	material in contact with eye Avoid contact with skin.		
Storage	dust/fume Contents container flame, he in cool pla	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of io	Avoid contact with skin. puncture, incinerate or cru- e influence of heat. Do not nition. Avoid exposure to lo		
Storage	dust/fume Contents container flame, he in cool pla feedingst	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol.	Avoid contact with skin. puncture, incinerate or crue e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store	
	dust/fume Contents container flame, he in cool pla feedingst	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea	Avoid contact with skin. puncture, incinerate or crue e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store	
	dust/fume Contents container flame, he in cool pla feedingst	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol.	Avoid contact with skin. puncture, incinerate or crue e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store	
Exposure limits	dust/fume Contents container flame, he in cool pla feedingst	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol.	Avoid contact with skin. puncture, incinerate or crue e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store	
Exposure limits ACGIH Components	dust/fume Contents container flame, he in cool pla feedingst	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Ire Controls / Pers	Avoid contact with skin. puncture, incinerate or crus e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away to onal Protection	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal	
Exposure limits ACGIH	dust/fume Contents container flame, he in cool pla feedingst 8. Exposu	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Ire Controls / Pers	Avoid contact with skin. puncture, incinerate or cruz e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away to onal Protection	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal	
Exposure limits ACGIH Components Ethyl Alcohol	dust/fume Contents container flame, he in cool pla feedingst 8. Exposu CAS # 64-17-5	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Ire Controls / Pers TWA 1000 ppm	Avoid contact with skin. puncture, incinerate or crue e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away to onal Protection STEL 1000 ppm	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal Ceiling Not established	
Exposure limits ACGIH Components Ethyl Alcohol n-Butane	dust/fume Contents container flame, he in cool pla feedingst 8. Exposu CAS # 64-17-5 106-97-8	a/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Ire Controls / Pers TWA 1000 ppm 1000 ppm	Avoid contact with skin. puncture, incinerate or cru- e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away the onal Protection STEL 1000 ppm Not established	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal Ceiling Not established Not established	
Exposure limits ACGIH Components Ethyl Alcohol n-Butane Propane	CAS # 64-17-5 106-97-8 74-98-6	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Irre Controls / Pers TWA 1000 ppm 1000 ppm 1000 ppm	Avoid contact with skin. puncture, incinerate or cru- e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away to onal Protection STEL 1000 ppm Not established Not established 250 ppm	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal Ceiling Not established Not established Not established Not established Not established	
Exposure limits ACGIH Components Ethyl Alcohol n-Butane Propane Methanol	CAS # 64-17-5 106-97-8 74-98-6	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Irre Controls / Pers TWA 1000 ppm 1000 ppm 1000 ppm	Avoid contact with skin. puncture, incinerate or cru- e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away for onal Protection STEL 1000 ppm Not established Not established	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal Ceiling Not established Not established Not established Not established	
Exposure limits ACGIH Components Ethyl Alcohol n-Butane Propane Methanol OSHA	dust/fume Contents container flame, he in cool pla feedingst 8. Exposu 64-17-5 106-97-8 74-98-6 67-56-1	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Ire Controls / Pers TWA 1000 ppm 1000 ppm 200 ppm	Avoid contact with skin. puncture, incinerate or cru- e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away to onal Protection STEL 1000 ppm Not established Not established 250 ppm	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal Ceiling Not established Not established Not established Not established Not established	
Exposure limits ACGIH Components Ethyl Alcohol n-Butane Propane Methanol OSHA Components Ethyl Alcohol	dust/fume Contents container flame, he in cool pla feedingst 8. Exposu 64-17-5 106-97-8 74-98-6 67-56-1 CAS #	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Ire Controls / Pers TWA 1000 ppm 1000 ppm 1000 ppm 200 ppm	Avoid contact with skin. puncture, incinerate or cru- e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away to onal Protection STEL 1000 ppm Not established Not established 250 ppm STEL	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal Ceiling Not established Not established Not established Not established Not established Not established	
Exposure limits ACGIH Components Ethyl Alcohol n-Butane Propane Methanol OSHA Components	dust/fume Contents container flame, he in cool pla feedingst 8. Exposu 8. Exposu 64-17-5 106-97-8 74-98-6 67-56-1 CAS # 64-17-5	a/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Ire Controls / Pers 1000 ppm 1000 ppm 200 ppm 200 ppm TWA 1000 ppm	Avoid contact with skin. puncture, incinerate or cru- e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away for onal Protection STEL 1000 ppm Not established 250 ppm STEL Not established	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal Ceiling Not established Not established Not established Not established Not established Not established	
Exposure limits ACGIH Components Ethyl Alcohol n-Butane Propane Methanol OSHA Components Ethyl Alcohol Propane Methanol	dust/fume Contents container flame, he in cool pla feedingst 8. Exposu 64-17-5 106-97-8 74-98-6 67-56-1 CAS # 64-17-5 74-98-6 67-56-1	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Ire Controls / Pers TWA 1000 ppm 1000 ppm 200 ppm TWA 1000 ppm 1000 ppm	Avoid contact with skin. puncture, incinerate or cru- e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away for onal Protection STEL 1000 ppm Not established Not established 250 ppm STEL Not established Not established Not established	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal Ceiling Not established Not established Not established Not established Not established Not established Not established Not established	
Exposure limits ACGIH Components Ethyl Alcohol n-Butane Propane Methanol OSHA Components Ethyl Alcohol Propane Methanol Propane Methanol Propane Methanol Propane	dust/fume Contents container flame, he in cool pla feedingst 8. Exposu 64-17-5 106-97-8 74-98-6 67-56-1 CAS # 64-17-5 74-98-6 67-56-1 nt	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Ire Controls / Pers TWA 1000 ppm 1000 ppm 200 ppm TWA 1000 ppm 200 ppm 200 ppm 200 ppm	Avoid contact with skin. puncture, incinerate or cru- e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away to onal Protection STEL 1000 ppm Not established Not established STEL Not established Not established Not established Not established Not established	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal Ceiling Not established Not established Not established Not established Not established Not established Not established Not established	
Exposure limits ACGIH Components Ethyl Alcohol n-Butane Propane Methanol OSHA Components Ethyl Alcohol Propane Methanol Propane Methanol Personal protective equipment Eye / face protection	dust/fume Contents container flame, he in cool pla feedingst 8. Exposu 64-17-5 106-97-8 74-98-6 67-56-1 CAS # 64-17-5 74-98-6 67-56-1 nt Do not ge	e/gas/mist/vapors/spray. under pressure. Do not s can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. Ire Controls / Pers TWA 1000 ppm 1000 ppm 200 ppm TWA 1000 ppm 200 ppm 200 ppm	Avoid contact with skin. puncture, incinerate or cru- e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away to onal Protection STEL 1000 ppm Not established Not established Not established Not established Not established Not established Not established Not established	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal Ceiling Not established Not established Not established Not established Not established Not established Not established Not established Not established	
Components Ethyl Alcohol n-Butane Propane Methanol OSHA Components Ethyl Alcohol Propane Methanol Personal protective equipment	dust/fume Contents container flame, he in cool pla feedingst 8. Exposu 64-17-5 106-97-8 74-98-6 67-56-1 CAS # 64-17-5 74-98-6 67-56-1 nt Do not ge Choose I substance	e/gas/mist/vapors/spray. under pressure. Do not is can increase under th at or other sources of ig ace. Keep out of the rea uffs. Level 2 Aerosol. ITE Controls / Pers TWA 1000 ppm 1000 ppm 200 ppm 1000 ppm 200 ppm 200 ppm 200 ppm 200 ppm 200 ppm 200 ppm	Avoid contact with skin. puncture, incinerate or cru- e influence of heat. Do not nition. Avoid exposure to lo ch of children. Keep away to onal Protection STEL 1000 ppm Not established Not established 250 ppm STEL Not established Not established Not established Not established Not established Not established Not established STEL	sh. The pressure in sealed handle or store near an oper ong periods of sunlight. Store from food, drink and animal Ceiling Not established Not established Not established Not established Not established Not established Not established Not established Not established	

Product #: 015-003 Revision date: 01-FEB-2011 Print date: 01-FEB-2011

9. Physical & Chemical Properties

Γ

	9. PI	hysical & Chemical Properties		
Appearance	Compres	ssed liquefied gas.		
Boiling point	136.4 °F (57.8 °C) estimated			
Color	colorless	colorless		
Density	0.7516 g	0.7516 g/cm3 estimated		
Flammability (HOC)	25.0491	25.0491 kJ/g estimated		
Flash back	Yes			
Flash point	-156 °F	-156 °F (-104.4 °C) Propellant		
Form	Aerosol.			
Freezing point	Not avai	Not available		
Odor		fruity alcoholic		
pH	242.427 (24.44 (24.45 (24.25)))))))))))))))))))))))))))))))))))	9.5 - 10.5		
Physical state				
Pressure				
blubility Partially				
Specific gravity	0.7517			
	10. Chemic	cal Stability & Reactivity Information		
Chemical stability	Stable a	t normal conditions.		
Conditions to avoid				
Incompatible materials				
Hazardous decomposition p	roducts May incl	lude oxides of nitrogen.		
	11	I. Toxicological Information		
Acute effects	Acute LC	C50: 81 mg/l/4h estimated, Rat, Inhalation		
Component analysis - LD50				
Toxicology Data - Selected	LD50s and LC50s			
Ethyl Alcohol	64-17-5	Oral LD50 Rat 7060 mg/kg; Inhalation LC50 Rat 124.7 mg/L 4 h		
Methanol	67-56-1	Inhalation LC50 Rat 83.2 mg/L 4 h; Inhalation LC50 Rat 64000 ppm 4 h; Oral LD50 Rat 5628 mg/kg; Dermal LD50 Rabbit 15800 mg/kg		
n-Butane	106-97-8	Inhalation LC50 Rat 658 mg/L 4 h		
Propane	74-98-6	Inhalation LC50 Rat 658 mg/L 4 h		
Sensitization	Not expe	ected to be hazardous by OSHA criteria.		
Carcinogenicity				
IARC - Group 1 (Carcinoge				
Ethyl Alcohol	64-17-5	Monograph 100E [in preparation] (in alcoholic beverages); Monograph 96 [in preparation] (in alcoholic beverages)		
Reproductive effects		Hazardous by OSHA criteria. Possible reproductive hazard. Can cause adverse reproductive effects - such as birth defects, miscarriages, or infertility.		
Teratogenicity	Not expe	Not expected to be hazardous by OSHA criteria.		
	1	12. Ecological Information		
Ecotoxicity	LC50 1730 mg/L estimated, Fish, 96.00 Hours, EC50 931 mg/L estimated, Daphnia, 48.00 Hours, Contains a substance which causes risk of hazardous effects to the environment.			
	1:	3. Disposal Considerations		
Waste codes	D001: W	/aste Flammable material with a flash point <140 F		
Disposal instructions	special w material	s under pressure. Dispose of this material and its container to hazardous or waste collection point. Do not incinerate sealed containers. Do not allow this to drain into sewers/water supplies. If discarded, this product is considered a gnitable waste, D001. Dispose in accordance with all applicable regulations.		

I

14. Transport Information

Department of Transportation (D		
Basic shipping requirements		
Proper shipping name	Consumer commodity	
Hazard class	ORM-D	
Subsidiary hazard class	None	
Additional information:		
Packaging exceptions	156, 306	
Packaging non bulk	156, 306	
Packaging bulk	None	
IMDG		•
Basic shipping requirement	3:	
Proper shipping name	AEROSOLS	
Hazard class	2.1	
UN number	1950	
Additional information:		
Packaging exceptions	LTD QTY	
Item	5F	2
Labels required	None	
Transport Category	2	
IATA		•
Basic shipping requirement		
Proper shipping name	Aerosols, flammable	
Hazard class	2.1	
UN number	1950	
Additional information:		
Packaging exceptions	LTD QTY	
Labels required	2.1	2

15. Regulatory Information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. Pesticides are exempt from TSCA.		
U.S CERCLA/SARA - Section 313 -	Emission Reporting		
Methanol 67-	-56-1 1.0 % de minimis concentration		
Occupational Safety and Health Adm	ninistration (OSHA)		
29 CFR 1910.1200 hazardous chemical	Yes		
CERCLA (Superfund) reportable qua	intity		
Methanol: 5000.0000			
Superfund Amendments and Reauth	orization Act of 1986 (SARA)		
Section 302 extremely hazardous substance	No		
Section 311 hazardous chemica	I Yes		
Hazard categories (311/312)	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No		

ventory status Country(s) or region Inventory name			On inventory (yes/no)	
		No		
China	Firences In	Inventory of Existing Chemical Substances in China (IECSC) European Inventory of New and Existing Chemicals (EINECS)		
Europe Europe	European Inv	the filled Chemical Substances (ELINCS)	No	
	European List of Notified Chemical Substances (ENCS) Inventory of Existing and New Chemical Substances (ENCS) Existing Chemicals List (ECL) Toxic Substances Control Act (TSCA) Inventory			
Japan				
Korea				
United States & Puerto Rico				
A "Yes" indicates that all compon	ents of this produ	uct comply with the inventory requirements administered by	the governing country(s)	
State regulations WARNING: This product contains a chemical known to the State of California to cancer.				
U.S Pennsylvania - RTK (Rigl	ht to Know) List			
Ethyl Alcohol	64-17-5	Present		
Methanol	67-56-1	Environmental hazard		
n-Butane	106-97-8	Present		
Propane	74-98-6	Present		
		16. Other Information		
Further information	HMIS®	is a registered trade and service mark of the NPCA.		
HMIS® ratings	Health: 1*			
energianse van storetaar entstoret kenne 🗩 abeze	Flammability: 3			
	Physical hazard: 0 Personal protection:			
			to the best of our	
Disclaimer	knowled designe disposa information	prmation provided in this Safety Data Sheet is correct tige, information and belief at the date of its publication d only as a guidance for safe handling, use, processi and release and is not to be considered a warranty of tion relates only to the specific material designated ar used in combination with any other materials or in ar	n. The information given is ng, storage, transportation, or quality specification. The nd may not be valid for such y process, unless specified	
	in the te experie	ext. The information in the sheet was written based on nce currently available.		
MSDS sections updated	in the te experie	ext. The information in the sheet was written based on		