MATERIAL SAFETY DATA SHEET

SECTION 1: PRODUCT IDENTIFICATION

The following products are pesticide products registered by the U.S. EPA. All products contain p-dichlorobenzene as the active ingredient. It is a violation of Federal Law to use these products in a manner inconsistent with the product label.

Product Name	EPA Registration No.	Willert Item No.
Enoz Moth Cake & Refill	1475-7	125/125R
Enoz Moth-Tek Paper Covered Moth	1475-143	219
Ball Packets Lavender Scented		
Enoz Moth-Tek Paper Covered Moth	1475-143	220
Ball Packets Cedar Scented		
Enoz Moth-Tek Paper Covered Moth Ball Packets Linen Scented	1475-143	226
Enoz Mildew Cake Cedar Scented	1475-113	492
Enoz Moth Blok	1475-7	493
Enoz Moth Bar Cedar Scented	1475-113	495
Enoz Moth Bar Lavender Scented	1475-113	496
Enoz Moth Bar Linen Scented	1475-113	497
Enoz Moth Sachettes Lavender Scented	1475-144	656
Enoz Plastic Hang Up Moth Case	1475-113	4023
Enoz Moth & Deodorant Cakes Perfumed Refills for Plastic Hang-Up Case	1475-113	4133
Enoz Para Moth Balls	1475-39	E28/E30
Enoz Moth Ice Crystals	1475-1	F39/PARABC
Reefer-Galler No Moth Closet Hanger	1475-157	1002
Reefer-Galler No Moth Refill	1475-157	1021
Reefer-Galler Snowhite Nuggets	1475-1	1124
Reefer-Galler Moth-Tek Paper Covered Moth	1475-143	1142
Ball Packets Cedar Scented		
Reefer-Galler No Mildew Cake	1475-113	1210
Reefer-Galler Moth Cake Cedar Scented	1475-113	1214
Reefer-Galler Moth Cake Linen Scented	1475-113	1216
Reefer-Galler Old Fashioned Lavender Scented Moth Sachettes	1475-144	1412
Paradichlorobenzene Manufacturing Use Produc	ot 1475-21	PARAD

Willert Home Products 4044 Park Avenue St Louis, MO 63110

EMERGENCY TELEPHONE NUMBER: 314-772-2822 (8:30 AM to 4:30 PM CST) CHEMTREC 800-424-9300

THE INFORMATION CONTAINED IN THIS MATERIAL SAFETY SHEET IS DIRECTED AT OCCUPATIONAL EXPOSURE AND MAY NOT BE APPLICABLE TO CONSUMER USE OF THE PRODUCTS.

SECTION 2: HAZARDOUS COMPONENT INFORMATION

Hazardous Ingredients	CAS Number	<u>Wt. %</u>
p-dichlorobenzene (1,4-dichlorobenzene)	106-46-7	95+

SECTION 3: HAZARDS IDENTIFICATION

Emergency Overview: White balls, blocks, crystals, nuggets or tablets. Some products may be encased in paper bags (packets) or plastic containers and some products contain fragrance. Harmful if swallowed or inhaled. Dust and vapors may cause eye and respiratory tract irritation. Flammable.

Potential Health Effects:

. . . .

Relevant Routes of Exposure: Inhalation, Ingestion, Eye Contact, Skin Contact.

Acute Effects:

Ingestion: Symptoms may also include nausea, vomiting, diarrhea, and stomach distress Eyes. Vapors may cause irritation. Dust or particles can cause severe irritation. Inhalation: Dust and vapors can cause respiratory tract irritation. Vapor concentrations of pdichlorobenzene that exceed permissible exposure limits can cause central nervous system depression. Symptoms could include the dizziness, blurred vision, nausea, feeling of drunkenness, unconsciousness and even death. Skin: Repeated or prolonged contact may cause a skin irritation.

Carcinogenicity: Classified by EPA CARC (OPP) as "Not likely to be carcinogenic to humans' (2007) Listed by NTP (1989) and IARC (1999) as a carcinogen

Reproductive Effects: None known.

Target Organs: Ocular, respiratory, dermal, liver, kioneys, central nervous (CNS).

Medical Conditions Aggravated By Exposure Liver, kidney, chronic respiratory disease

SECTION 4: FIRST AID PROCEDURES

First Aid Procedures

EYES: Immediately flush eyes with a directed stream of water for at least 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissue. Remove contact lenses, if present, after the first five minutes and continue rinsing the eye. Call a physician or poison control center immediately.

SKIN: Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Wash clothing before reuse. If irritation occurs, get medical attention.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

INGESTION: Do not give anything by mouth to an unconscious person. Call poison control center or doctor immediately for treatment advice. Have person rinse the mouth with water. If able to swallow, have the person sip a glass of water. Do not induce vomiting unless told to do so by a poison control center or doctor.

NOTE TO PHYSICIAN: Treatment is mainly symptomatic and supportive

SECTION 5: FIRE HAZARDS,

Unusual Fire and Explosion Hazards. Flammable solid, liquid and vapors.

Fire Fighting Procedures

NIOSH approved positive pressure, self-contained breathing apparatus and full protective turnout gear

Evacuate personnel to an area upwind to avoid smoke and vapors.

Remove containers of this material if it can be done safely

Use water to keep fire exposed containers cool.

Protective clothing and equipment must be decontaminated if contact with the material or vapors has occurred

Extinguishing Media All common extinguishing media are suitable.

Conditions to Avoid, Elevated temperatures.

Hazardous Combustion Products: May produce irritating and toxic smoke and fumes. The composition of the combustion products have not been determined.

Flash Point: 65° C (Cleveland Open Cup)

Flammability Limits Lower Not determined Upper Not determined

Autoignition Temperature Not determined

SECTION 6: ACCIDENTAL RELEASE MEASURES

Pre-Entry Spill Procedure

Shut off source of spill if it is safe to do so.

Eliminate sources of ignition.

Review Section 3 - Hazards Identification and Section 8- Exposure Control/Personal Protection before proceeding with the clean up

08/07/09

Clean Up and Containment:

Scoop or shovel spilled material into suitable labeled containers with a tight fitting lid Secure the drum cover and move the container to a safe holding area.

Check area for residual material and repeat clean up if detected

Environmental Concerns: None known.

Treatment and Disposal:

Decontaminate or dispose of all protective clothing and equipment.

See Section 13 - Disposal Recommendations for disposal information.

Reporting Requirements.

The United States Environmental Protection Agency (USEPA) has established a Reportable Quantity (RQ) for release of this material. See Section 15.

Report all releases, which are likely to endanger the public health, harm the environment, or cause complaint to the appropriate State or Local officials.

SECTION 7: HANDLING AND STORAGE

General Measures

Store at room temperature, in airtight containers and protect from light.

Do not generate dust or exposure to ignition source.

Keep away from heat, sparks, and flame

Materials or Conditions to Avoid.

Contact with oxidizing and reducing agents.

Elevated temperatures.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

General Hygienic Practices:

Do not get on eyes, skin, or clothing

Do not breathe vapors, dust or fumes

Wash thoroughly after handling

Recommended Exposure Limits:

p-dichlorobenzene ACGIH TLV. 10 ppm (60 mg/m1) 8-hr TWA A3*

*ACGIH has designated this component as an "A3" substance thereby including it among substances that are animal carcinogens with unknown relevance to man.

OSHA PEL. 75 ppm (450 mg/m³) 8-hr TWA

Mexican OEL; 450 mg/m³ 8-hr TWA Mexican OEL: 675 mg/m³ 15-minute STEL

Personal Protective Equipment.

Eyewear Chemical goggles.

- Skin. Gloves are required if there is a potential for skin contact. A plastic or Vitron polyvinyl alcohol provides a physical barrier is required. Use disposable spun polyolefin (e.g. Tyvek) coveralls or equivalent to protect against contact. Consult the glove and clothing manufacturers, suppliers and/or industrial hygienist for further information
- Respiratory Protection Respiratory protection is required whenever air contamination (dust, mist, or vapors) is generated by the process A NIOSH approved high efficiency toxic dust/mist/fume respirator is recommended.

Work Practices and Engineering Controls:

General room ventilation is adequate unless the process generates dust or fumes.

Work-clothing should be removed in a change room on site and laundered professionally.

Employees should shower and change into street clothes before leaving the facility.

Prevent the accumulation of dust in the work area by thorough periodic cleaning of the area

Protective Measures During Repair and Maintenance No special measures are required Follow the recommendation for personal protective equipment

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Balls, blocks, crystals, nuggets or tablets. (Some products may be encased in plastic containers.) Color. White. Odor Pleasant characteristic odor (mothballs). Some products contain a fragrance Taste: Not determined pH: Not applicable Volatile (Wt. or Vol.), % 100%. Moisture Content, (Wt.) %: Not determined Solubility in Water 0.08 g/l at 25° C Solubility - other solvents: Soluble in ethanol, benzene Specific Gravity/Bulk Density Varies with product type. Vapor Pressure 0.59 mm Hg at 20° C, 11.5 mm Hg at 60° C Vapor Density (air = 1): 5.1. Evaporation Rate: p-dichlorobenzene sublimes at room temperature. Boiling Point 174⁰C Melting Point 53 5° C

SECTION 10: STABILITY AND REACTIVITY

General Stability Considerations Stable at room temperature

Incompatible Materials Oxidizing and reducing agents

Hazardous Decomposition Products: Not determined

Hazardous Polymerization: Does not occur

SECTION 11: TOXICOLOGICAL INFORMATION

p-Dichlorobenzene: Acute Toxicity. Oral - rat LD₅₀ = 2512 mg/kg, Oral - rabbit LD₅₀ = 2812 mg/kg; Oral - mouse LD₅₀ = 2950-3220 mg/kg. Oral - guinea pig LD₅₀ = 7595 mg/kg. Dermal - rat LD₅₀ = >8g/kg; Inhalation - cat 30 minute LCL₀ = 37 g/m³; Oral guinea pig Intraperitoneal - mouse LDL₀ = 2800 mg/kg, Oral human LDL₀ = 857 mg/kg; Dermal - rabbit LD₅₀ = >2 g/kg mg/kg.

Reproductive/Teratogenicity Effects: p-Dichlorobenzene has not been shown to cause birth defects (teratogenic) in laboratory animals.

Mutagenicity/Genotoxicity Information: -Dichlorobenzene has not been shown to be mutagenic

Carcinogenicity and Chronic Toxicity: The Cancer Assessment Review Committee of U.S. Environmental Protection Agency, Office of Pesticide Programs, classified p-Dichlorobenzene as "Not likely to be carcinogenic to humans" (2007) Listed by NTP (1989) and IARC (1999) as a carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

Environmental Fate: p-Dichlorobenzene: Soil absorption: log K_{oc} (Fullerton soil, 0.06% organic carbon) =850, log P_{oct} 3.39 at 20°C; Biodegradation: domestic sewage, Closed Bottle test, 28 day = 67% of ThOD

Ecotoxicity: p-Dichlorobenzene Grass shrimp (Palaemonetes pugio) 48 hour = 129 mg/L; earth worms (Eisenia Andrei) = 14 day LC_{50} = 12-347 ug/L; flathead minnow 48 hour LC_{50} = 34 mg/L; sheephead minnow 96 hour LC_{50} = 7.4 mg/L

SECTION 13: DISPOSAL RECOMMENDATIONS

Waste Disposal Method: Follow label directions. Dispose of material, liners, and containers in accordance with all applicable federal, state, and local environmental regulations.

SECTION 14: TRANSPORTATION INFORMATION

The classifications provided in this section are for information purposes only. Apply the appropriate regulations to properly classify you shipment for transportation.

U.S. DOT Class⁺ Environmentally Hazardous Substance, solid, n.o.s. (p-Dichlorobenzene), 9 UN3077, III*

U.S. DOT label: Class 9*

*Applies only to packages, which contain 100 lbs. or more (RQ quantity, See Section 15). Special Provisions this material meets the definition of Marine Pollutant.

IATA, Environmentally Hazardous Substance, solid, n o s. (p-Dichlorobenzene), 9 UN3077. III*

IMDG Code See DOT

SECTION 15: REGULATORY INFORMATION

FIFRA: These products are pesticides registered by the U.S. EPA. All products contain p-dichlorobenzene as the active ingredient. It is a violation of Federal Law to use these products in a manner inconsistent with the product label.

SARA TITLE III Section 302 Not listed as an Extremely Hazardous Substance. Section 311, 312 - Acute Health Hazard, Chronic Health Hazard, Fire Hazard, Section 313 - 1,4-dichlorobenzene CERCLA Hazardous Substance: Listed in Table 302.4 of 40 CFR Part 302 as a hazardous substance with a reportable quantity of 100 lbs.1,4-dichlorobenzene (Release of more than the Reportable Quantity to the environment in a 24-hour period requires notification to the National Response Center (800-424-8802 or 202-426-2675).

RCRA Hazardous Substance Hazardous waste number: U072 Compound' p-dichlorobenzene

California Prop. 65 List: Listed (carcinogen)

Massachusetts Substance List Listed

New Jersey Right to Know Hazardous Substance List; Listed.

Pennsylvania Hazardous Substance List: Listed

Canadian WHMIS List: Class D1B – Toxic Materials. Sensitization to product: None known. Reproductive toxicity. None known. Odor threshold: Not known. Product use: Urinal blocks, moth control

SECTION 16: OTHER INFORMATION

HMIS RATINGS: Health Hazard. 2 Flammability Hazard. 2 Reactivity Hazard: 0 Additional Information: C

Willert MSDS No. 2, Ver. 3 Date: 8-7-09 Supercedes: 1-6-06

.

LIST OF ACRONYMS

ACGIH American Conference of Governmental Industrial Hygiene

- AIHA WEEL: American Industrial Hygienists Association Workplace Environmental Exposure Level
- ANSI American National Standards Institute
- C Ceiling
- California Prop. 65: California Safe Drinking Water and Toxic Enforcement Act (Prop 65)
- Canadian WHMIS Canadian Workplace Hazardous Materials Information System Ingredient Disclosure
- CASRN: Chemical Abstracts Service Registry Number
- CERCLA: Comprehensive Emergency Response, Compensation and Liability Act
- DOT: U. S. Department of Transportation
- EPA CARC (OPP): U. S. Environmental Protection Agency, Cancer Assessment Review Committee,
- Office of Peslicide Programs
- HMIS: Hazardous Materials Identification System
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- IMDG: International Maritime Dangerous Goods
- IMO. International Maritime Organization
- N/A: Not Applicable
- NOR Not Otherwise Regulated
- NTP National Toxicology Program
- OSHA: Occupational Safety and Health Administration
- PEL. OSHA Permissible Exposure Limit
- RCRA: Resource Conservation and Recovery Act
- RQ Reportable Quantity
- SARA: Superfund Amendment Reauthorization Act
- STEL: Short-Term Exposure Limit
- TLV Threshold Limit Values (registered trademark of ACGIH)
- TPQ: Threshold Planning Quantity
- TSCA: Toxic Substances Control Act
- TWA: Time Weighted Average

The information and recommendations contained in this Material Safety Data Sheet have been compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No warranty, guaranty, or representation is made as to the conectness or sufficiency of the information. The user of this product must decide what safety measures are necessary to safety use this product, either alone or in combination with other products, and determine its environmental regulatory compliance obligations under any applicable federal or state laws.