

**Maintenance Solutions** 



## FLOOR COATING AND FINISHING MATERIAL AS TO SLIP RESISTANCE ONLY 17SU

ashback **Spray Buff** 



For Use On:

Vinyl Tile Vinvl Asbestos Asphalt Tile

Linoleum Rubber Tile Terrazzo

Sealed Wood Quarry Tile Marble

## DESCRIPTION

This product removes all black heel marks and dirt, replacing them with a brilliant shine that will actually upgrade the original gloss of the finish. Saves time and money because less frequent recoating is necessary, as well as extending time spans between stripping.

#### DIRECTIONS

FOR SPRAY BUFFING: Remove all tar, gum, and excess soil from the floor. Spray a fine mist of concentrate onto the floor just prior to buffing. DO NOT OVERWET. Use a spray buff pad and buff to a high shine. Turn pad over or replace as necessary.

This product meets the maximum content requirements for Volatile Organic Compounds (VOCs) as established by state and Federal regulations.

#### **PRODUCT SPECIFICATIONS**

**Active Ingredients:** Color: Odor: Base:

pH: Viscosity: Slip Resistance: Abrasives:

14.0 ± 0.5% Milky white Lemon-lime Polymers, waxes, surfactants and mild solvents 9.0 - 9.5 Water thin Will not increase slip None

Flash Point: Solubility: Black Mark Resistance: Sediment: **Buffability:** Storage/Stability: Weight per Gallon: Freeze/Thaw Stability:

None Complete with water Excellent 0.01% max. Excellent 2 years 8.43 lbs./gal. Keep from freezing

Misco Products Corporation Reading, PA (800) 548-4568 FAX (610) 926-1194 www.miscoprod.com

### MATERIAL SAFETY DATA SHEET

(Prepared According to 29 CFR 1910.1200)

Prepared by: Regulatory Affairs Dept.	(Prepared Acc TION 1-PRODUCT IDENTIFICA	TION AND SUB	•		e: 5/99 Revision: 1/0
Manufacturer's Name:	Product Name: Flashba		I LIEK INFORMA		
Misco Products Corporation		Generic Name: Spray Buff			
Manufacturer's Address:	Chemical Family: Poly		1		
1048 Stinson Drive Reading, PA 196			-		
Manufacturer's Phone #: (610) 926-4					
	SECTION 2-INGREI	DIENT INFORM	ATION		
CHEMICAL NAME	CAS NO.	WT. %	PEL	TWA-TLV	STEL-TLV
Water	7732-18-5	to 100			
Acrylic Copolymer Dispersion	63744-68-3	5 to 10			
Polyethylene Wax Emulsion	N/A	5 to 10			
Petroleum Distillates	64741-65-7	0 to 5	500 ppm	100 ppm	N/A
Anionic Surfactant	N/A	0 to 5			
Perfume Oils	N/A	0 to 5			
SECTION 3 I	PHYSICAL DATA	SEC	TION 4 FIDE AN	D EVDI OSION I	
Boiling Point (°F): 212 F.	SECTION 4-FIRE AND EXPLOSION HAZARD DATA Flash Point (Method Used): N/A				
Bioling Point (°F): 212 F. Specific Gravity: 1.012   Vapor Pressure: 20mm Hg @ 68 F. Vapor Density (Air=1): >1		Upper Explosion Limit: N/A Lower Explosion Limit: N/A			
<b>vapor Density (AII-1):</b> 21		Extinguishing Media: N/A			
Solubility in Water: Complete	Evaporation Rate (Water=1): <1		refighting Procedure	es: Non Flammable	
<b>Physical Description:</b> Thin milky white l			Fire and Explosion H		
· · · · · · · · · · · · · · · · · · ·		EACTIVITY DAT			
Stability: Stable	Hazardous Polymerization: None				
Hazards Decomposition Products: Will	Incompatibility (Materials to Avoid): None				
	SECTION 6-STORAGE AN				
Keep out of reach of children. For use by					osed during storage. For
institutional and industrial use only. Avo					
SECTION 7-HEALTH HA	ZAKDS AND FIRST AID		ON 8-SPECIAL P		FORMATION
Effects of Overexposure:			otection: No special		
Skin: Prolonged or repeated contact may				local exhaust to keep	TLV of Section 2 in-
Eyes: Eye irritant. May cause redness or s	swelling.		acceptable limit.	. 11	
Inhalation: Mist may irritate nose, throat		<b>Protective Gloves:</b> Chemical resistant rubber or neoprene. <b>Eye Protection:</b> Safety glasses or chemical splash goggles.			
<b>Ingestion:</b> May be irritating to the mouth. Vomiting and diarrhea expected with larg			: Safety glasses or che ve Equipment: N/A	sinical splash goggles	s.
First Aid Procedures:	SECTION 9-SPILL OR LEAK PROCEDURES				
Skin: Flush with water. Seek medical atte	Steps to be taken in Case Material is Released or Spilled: Floors will become				
Eyes: Flush with large quantities of water	slippery. Avoid walking in product. Keep unessential personnel away. Mop up or				
attention.					ewer or open waterways
Inhalation: Remove victim to fresh air ar	Waste Disposal Method: Any method in accordance with local, state and federa				
<b>Ingestion:</b> Dilute with 2 glasses of water.	laws. Best method is to recycle or reuse for intended purpose. Consult loca authorities for disposal in public sewer. Do not dispose of into storm drain				
persist.					
	SECTION 10-REGUI			tainer thoroughly bef	ore discarding in trash.
SARA Title III - Section 311/312 -F				HMISI	Hazardous Materials
No - Fire Hazard			Cleaning Compound		cation System
No - Sudden Release of Pressure Hazard	TOR CONTRA	L LIG > 1 Ganoll .	compound	Health	canon bystem
	EOD 1 CALL		Claaning Company		hility
No - Reactivity Hazard	FUK I GALD	ON CONTAINERS	: Cleaning Compound		
Yes - Immediate (acute) Health Hazard No - Delayed (chronic) Health Hazard	FOR CONTA	INERS < 1 GALLO	N : Cleaning Compou	nd Person	ity al Protection
ino Derayeu (emonic) ricatui fiazalu	FOR CONTA	Indro VI UALLU.		reisona	
OR EMERGENCY MEDICAL OR TR	ANSPORT INFORMATION: CHEM	-TEL, Inc. @ 800-25	5-3924 ( <b>24 hours</b>	, 7 days per week)	
his product contains the following toxic cl	pemical(s) subject to the reporting require	ements of section 21	3 of the Emergency D	lanning and Commu	nity Right To Know A
f 1986 and of 40 CFR 372.	iennean(s) subject to the reporting require	ements of section 31	5 of the Emergency P	ianning and Commu	inty Kight-10-Khow A
CAS#	Chemical Name		Perce	ent by Weight	
	None			• •	
his product contains the following chemic		ither a carcinogen o			
CAS#	Chemical Name		Perce	ent by Weight	
	Nono				

# SECTION 11-OTHER INFORMATION

None

This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of our products either alone or in combination with other products. It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. This company will accept no liability for damages or loss incurred from the improper handling and use of this product