

Safety Data Sheet PL-100 (AEROSOL)

Supersedes Date Not applicable

Issuing Date 02/24/2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name PL-100 (AEROSOL)

Recommended use Lubricant

Information on Manufacturer

Partsmaster, Div of NCH Corp.

P.O. Box 655326

Dallas, TX 75265-5326

Product Code PME60015

Chemical nature Hydrocarbons Mixture

Emergency Telephone Number

CHEMTREC® 800-424-9300

Telephone inquiry

800-336-0450

2. HAZARD IDENTIFICATION

Color Tan

Physical state Aerosol

Odor Solvent-like

GHS

Classification

Physical Hazards

Flammable Aerosols

Gases under pressure

Category 2

Liquefied gas

Health Hazard

Aspiration Toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ systemic toxicity (single exposure)

Specific target organ toxicity (repeated exposure)

Category 1

Category 2

Category 2B

Category 3

Category 2

Other hazards

None

Labeling

Signal Word

DANGER



Hazard statements

H223 - Flammable aerosol

H315 - Causes skin irritation

H320 - Causes eye irritation

H304 - May be fatal if swallowed and enters airways

H336 - May cause drowsiness or dizziness

H373 - May cause damage to organs through prolonged or repeated exposure

H280 - Contains gas under pressure; may explode if heated

Precautionary Statements

P210 - Keep away from heat, sparks, open flames or hot surfaces.

P211 - Do not spray on an open flame or other ignition source

P251 - Pressurized container: Do not pierce or burn, even after use

P260 - Do not breathe vapor, mist or gas.

P271 - Use in a well-ventilated area.

P280 - Wear protective gloves, protective clothing and eye protection.

P264 - Wash face, hands and any exposed skin thoroughly after handling

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists, get medical attention.

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs, get medical attention.

P301+ P310 - IF SWALLOWED: Immediately call a physician

P331 - DO NOT induce vomiting

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P312 - Call a physician if unwell.

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P403 - Store in a well-ventilated place

P405 - Store locked up

P501 - Dispose of contents and container to an approved waste disposal plant.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS No.	Weight % *
Heptanes	142-82-5	15-40
Petroleum gases, liquified, sweetened	68476-86-8	10-30
Methyl acetate	79-20-9	10-30
Acetone	67-64-1	10-30
Petroleum Distillate	64742-47-8	7-13

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General advice	Avoid contact with skin, eyes and clothing. Use only with adequate ventilation.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water and afterwards drink plenty of water.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point < 100 °F / < 38 °C	Method Seta closed cup
Upper: No data available	Lower: No data available
Suitable Extinguishing Media	
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Specific hazards arising from the chemical	
The product causes burns of eyes, skin and mucous membranes.	
Protective Equipment and Precautions for Firefighters	
As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.	
NFPA	Health 1
HMIS	Health 1
	Flammability 3
	Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Ensure adequate ventilation.
Environmental Precautions	Prevent further leakage or spillage if safe to do so.
Methods for Containment	No information available.
Methods for Cleaning Up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Neutralizing Agent	Not applicable.

7. HANDLING AND STORAGE

Handling	Ensure adequate ventilation.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.
Storage Temperature	Minimum No information available
Storage Conditions	Indoor Outdoor Maximum Heated No information available Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Heptanes	TWA: 400 ppm STEL: 500 ppm	TWA: 500 ppm TWA: 2000 mg/m ³	750 ppm Ceiling: 440 ppm Ceiling: 1800 mg/m ³ TWA: 85 ppm TWA: 350 mg/m ³
Methyl acetate	TWA: 200 ppm STEL: 250 ppm	TWA: 200 ppm TWA: 610 mg/m ³	3100 ppm STEL 250 ppm STEL 760 mg/m ³ TWA: 200 ppm TWA: 610 mg/m ³
Acetone	TWA: 500 ppm STEL: 750 ppm	TWA: 1000 ppm TWA: 2400 mg/m ³	2500 ppm TWA: 250 ppm TWA: 590 mg/m ³

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment**Eye/Face Protection**

Safety glasses with side-shields.

Skin Protection

Wear gloves with appropriate chemical resistance.

Respiratory Protection

In case of insufficient ventilation wear suitable respiratory equipment.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Aerosol	Viscosity	No information available
Color	Tan	Odor	Solvent-like
Odor Threshold	Not applicable	Appearance	Hazy
pH	Not applicable	Specific Gravity	0.795
Evaporation Rate	No information available	Percent Volatile (Volume)	No information available
VOC Content (%)	40	Vapor Pressure	40 mmHg @ 70°F
Vapor Density	>2 (Air = 1.0)	Solubility	Insoluble
n-Octanol/Water Partition	No data available	Melting Point/Range	No data available
Decomposition Temperature	No data available	Boiling Point/Range	Not applicable
Flammability (solid, gas)	No data available		
Flash Point	< 100 °F / < 38 °C	Method	Seta closed cup
Autoignition Temperature	No information available.		
Upper: No data available Lower: No data available			

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions.
Conditions to Avoid	Extremes of temperature and direct sunlight, Heat, flames, and sparks.
Incompatible Products	No materials to be especially mentioned.
Decomposition Temperature	No data available
Hazardous Decomposition Products	None under normal use.
Possibility of Hazardous Reactions	None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Dermal LD50 No information available

Inhalation LC50

Gas No information available

Mist No information available

Vapor No information available

Principle Route of Exposure None reasonably foreseeable.

Primary Routes of Entry None known.

Acute Effects:

Eyes May cause slight irritation.

Skin Substance may cause slight skin irritation.

Inhalation May cause irritation of respiratory tract.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Toxicity No information available.

Target Organ Effects No information available.

Aggravated Medical Conditions No information available.

Component Information

Acute Toxicity

Component	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Heptanes 142-82-5	no data available	= 3000 mg/kg (Rabbit)	= 103 g/m ³ (Rat) 4 h	no data available	no data available
Methyl acetate 79-20-9	> 5000 mg/kg (Rat)	> 5 g/kg (Rabbit)	= 16000 ppm (Rat) 4 h	no data available	no data available
Acetone 67-64-1	no data available	no data available	= 50100 mg/m ³ (Rat) 8 h	no data available	no data available
Petroleum Distillate 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h	no data available	no data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Heptanes 142-82-5	no data available	no data available	no data available	no data available	Skin Central nervous system Respiratory system
Methyl acetate 79-20-9	no data available	no data available	no data available	no data available	Skin Central nervous system Eyes Respiratory system

Acetone 67-64-1	no data available	no data available	no data available	no data available	Skin Central nervous system Eyes Respiratory system
--------------------	-------------------	-------------------	-------------------	-------------------	--

Carcinogenicity There are no known carcinogenic chemicals in this product.

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	log Pow
Heptanes	No information available.	LC50 = 375.0 mg/L Cichlid fish 96 h	No information available	No information available.	4.66
Petroleum gases, liquified, sweetened	No information available.	No information available.	No information available	No information available.	2.8
Methyl acetate	EC50 > 120 mg/L Desmodesmus subspicatus 72 h	LC50 295 - 348 mg/L Pimephales promelas 96 h LC50 250 - 350 mg/L Brachydanio rerio 96 h	EC50 = 6000 mg/L 16 h EC50 = 6100 mg/L 30 min	1026.7: 48 h Daphnia magna mg/L EC50	0.18
Acetone	No information available.	LC50 4.74 - 6.33 mL/L Oncorhynchus mykiss 96 h LC50 6210 - 8120 mg/L Pimephales promelas 96 h LC50 = 8300 mg/L Lepomis macrochirus 96 h	EC50 = 14500 mg/L 15 min	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50	-0.24
Petroleum Distillate	No information available.	LC50 = 45 mg/L Pimephales promelas 96 h LC50 = 2.2 mg/L Lepomis macrochirus 96 h LC50 = 2.4 mg/L Oncorhynchus mykiss 96 h	No information available	No information available.	N/A

Persistence and Degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name Consumer Commodity
Hazard Class ORM-D
Description CONSUMER COMMODITY, ORM-D

TDG

Proper shipping name CONSUMER COMMODITY
Hazard Class ORM-D
Description CONSUMER COMMODITY, ORM-D

ICAO

UN-No UN1950
Proper Shipping Name AEROSOLS, FLAMMABLE
Hazard Class 2.1
Shipping Description UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD QTY

IATA

UN-No UN1950
Proper Shipping Name AEROSOLS, FLAMMABLE
Hazard Class 2.1
Shipping Description UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD QTY

IMDG/IMO

Proper Shipping Name AEROSOLS
Hazard Class 2.1
UN-No UN1950
Description UN1950, AEROSOLS, 2.1, LTD QTY

15. REGULATORY INFORMATION

Inventories

TSCA

Complies

DSL

Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
No	No	No	No	No

CERCLA

None

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acetone	5000 lb	Not applicable

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

16. OTHER INFORMATION

Prepared By

Christopher Drogin

Supersedes Date

Not applicable

Issuing Date

02/24/2016

Reason for Revision

No information available.

Glossary

No information available.

List of References.

No information available.

Partsmaster, Div of NCH Corp. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.