



MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/18/2012

REVISION NUMBER:

3

DATE PRINTED: 04/18/2012

PREPARED BY:

EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **MEGA STRIP**

PRODUCT CODE: 118930

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 2/2

Fire: 0/0

Reactivity: 0/0

Special/Protective Equipment: CORR/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624
USA

Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: May be harmful if swallowed. Causes vomiting, nausea, and diarrhea.
SKIN CONTACT: May cause severe skin irritation.
INHALATION: May irritate mouth, nose, and throat.
EYE CONTACT: May cause severe eye irritation.
CHRONIC EFFECTS: None known.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Ethanolamine 141-43-5	5.0 - 10.0	3 ppm	3 ppm 6 mg/m ³
Ethylene glycol butyl ether 111-76-2	20.0 - 25.0	20 ppm	240 mg/m ³ 50 ppm

4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. Drink several glasses of water or milk. Get immediate medical attention. Never give anything by mouth to an unconscious person.

SKIN: Flush with water for at least 15 minutes while removing all contaminated clothing and shoes. Continue rinsing until "slippery" feeling is gone. Get medical attention if irritation or burns develop.

INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	(F): None (C): Not determined
METHOD:	TCC
FLAMMABLE LIMITS IN AIR	
LOWER (%):	No data
UPPER (%):	No data
SENSITIVITY TO MECHANICAL IMPACT(Y/N):	NO
SENSITIVITY TO STATIC DISCHARGE:	Sensitivity to static discharge is not expected.
SUITABLE EXTINGUISHING MEDIA:	Water fog, carbon dioxide, foam, dry chemical.
FIRE FIGHTING PROCEDURES:	Cool exposed containers with water spray. Corrosive material. Avoid exposure to mist and splashes. Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:	Rinse down drain.
LARGE SPILLS:	Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS:	Not applicable
ENVIRONMENTAL PRECAUTIONS:	Not applicable
METHODS FOR CLEANING UP:	Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:	Store in a cool, dry area. Store in a well ventilated area. Store only in original container and keep closed. Keep from freezing. Danger: Corrosive. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors.
OTHER PRECAUTIONS:	Do not reuse container. Empty containers may retain product residue, follow MSDS/label precautions even after container is emptied. Read and follow label instructions.
SPECIFIC USE(S):	Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:	Use in a well ventilated area.
RESPIRATORY PROTECTION:	Not normally required. If mist or vapors in air exceed exposure limit, use NIOSH approved organic vapor respirator.
PROTECTIVE GLOVES:	Rubber or plastic gloves recommended to minimize skin contact.
EYE PROTECTION:	Goggles. Face shield.
OTHER PERSONAL PROTECTION EQUIPMENT:	Rubber boots. Appropriate protective clothing as needed to prevent skin contact. Eyewash fountains and safety showers must be easily accessible.
VENTILATION:	General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Clear. Water white liquid. Mild odor.	
BOILING POINT (F):	212 F	(C) Not determined
VAPOR PRESSURE:	15.7 mm Hg @ 22.2 C	
VAPOR DENSITY (AIR=1):	0.625	
SOLUBILITY IN WATER:	Not determined	
SPECIFIC GRAVITY:	0.991 - 1.011	

MEGA STRIP

9. PHYSICAL AND CHEMICAL PROPERTIES

VOC Content (%): 29.93 - 31.46 (EPA Method 24)
EVAPORATION RATE: (BuAc = 1) : 1.26
PH: 10.6 (10%)

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: If evaporated to dryness, as in a fire, may release: Soot. Smoke. Carbon Monoxide. Oxides of Sulfur. Oxides of Nitrogen.
INCOMPATIBILITY (MATERIALS TO AVOID): Do not mix with acidic materials. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.
CONDITIONS/HAZARDS TO AVOID: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established
EFFECTS OF CHRONIC EXPOSURE: Not established.
OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: Not applicable.
PERSISTENCE/DEGRADABILITY: Not applicable
BIOACCUMULATIVE POTENTIAL: Not applicable
OTHER ADVERSE EFFECTS: Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Ethanolamine 141-43-5	5.0 - 10.0	Listed	Listed	Listed	Not Listed
Ethylene glycol butyl ether 111-76-2	20.0 - 25.0	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Ethanolamine 141-43-5	5.0 - 10.0	Not Listed	Not Listed	Not Listed
Ethylene glycol butyl ether 111-76-2	20.0 - 25.0	Not Listed	Not Listed	Not Listed

MEGA STRIP

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Ethanolamine 141-43-5	5.0 - 10.0	Listed
Ethylene glycol butyl ether 111-76-2	20.0 - 25.0	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Ethanolamine 141-43-5	5.0 - 10.0	Listed
Ethylene glycol butyl ether 111-76-2	20.0 - 25.0	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Ethanolamine 141-43-5	5.0 - 10.0	Listed
Ethylene glycol butyl ether 111-76-2	20.0 - 25.0	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Ethanolamine 141-43-5	5.0 - 10.0	Listed
Ethylene glycol butyl ether 111-76-2	20.0 - 25.0	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***