

DAP -- "33" GLAZING - GLAZING COMPOUND, SASH

MATERIAL SAFETY DATA SHEET

NSN: 8030010473584

Manufacturer's CAGE: 90300

Part No. Indicator: B

Part Number/Trade Name: "33" GLAZING

General Information

Item Name: GLAZING COMPOUND, SASH

Company's Name: DAP INC

Company's P. O. Box: 277

Company's City: DAYTON

Company's State: OH

Company's Country: US

Company's Zip Code: 45401-0277

Company's Emerg Ph #: 800-543-3840

Company's Info Ph #: 513-667-4461

Record No. For Safety Entry: 002

Tot Safety Entries This Stk#: 002

Status: SMJ

Date MSDS Prepared: 03FEB92

Safety Data Review Date: 02MAR95

MSDS Serial Number: BXJWW

Ingredients/Identity Information

Proprietary: YES

Ingredient: PROPRIETARY

Ingredient Sequence Number: 01

Proprietary: YES

Ingredient: PROPRIETARY

Ingredient Sequence Number: 02

Physical/Chemical Characteristics

Appearance And Odor: COLORED PASTE WITH A MILD ODOR.

Boiling Point: N/A

Vapor Pressure (MM Hg/70 F): <1 @ 20C

Vapor Density (Air=1): >1

Specific Gravity: 2.2 (H\*20=1)

Evaporation Rate And Ref: <1 (N-BUTYL ACETATE=1)

Solubility In Water: NEGLIGIBLE

Percent Volatiles By Volume: <1

Fire and Explosion Hazard Data

Flash Point: >200F,>93C  
Flash Point Method: SCC  
Extinguishing Media: FOAM, WATER, DRY CHEMICALS.  
Special Fire Fighting Proc: USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N). USE WATER SPRAY TO COOL EXPOSED SURFACES.  
Unusual Fire And Expl Hazrds: NONE KNOWN.

Reactivity Data

Stability: YES  
Cond To Avoid (Stability): EXCESSIVE HEAT AND FREEZING.  
Materials To Avoid: STRONG OXIDIZERS AND CAUSTICS.  
Hazardous Decomp Products: NORMAL COMBUSTION PRODUCTS, I.E. CO\*X, NO\*X.  
Hazardous Poly Occur: NO  
Conditions To Avoid (Poly): NOT RELEVANT

Health Hazard Data

LD50-LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.  
Route Of Entry - Inhalation: NO  
Route Of Entry - Skin: YES  
Route Of Entry - Ingestion: NO  
NONE KNOWN.  
Carcinogenicity - NTP: NO  
Carcinogenicity - IARC: NO  
Carcinogenicity - OSHA: NO  
Explanation Carcinogenicity: NOT RELEVANT  
Signs/Symptoms Of Overexp: SEE HEALTH HAZARDS.  
Med Cond Aggravated By Exp: NONE KNOWN.  
Emergency/First Aid Proc: EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR AT REMOVE TO FRESH AIR. CONTACT MD IMMEDIATELY. INGESTION; DO NOT INDUCE VOMITING. CONTACT MD OR REGIONAL POISON CONTROL CENTER IMMEDIATELY.

Precautions for Safe Handling and Use

Steps If Matl Released/Spill: SCRAPE UP DRIED MATERIAL AND PLACE INTO CONTAINERS.  
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.  
Waste Disposal Method: DISPOSE OF ACCORDING TO FEDERAL, STATE AND LOCAL STANDARDS. THIS PRODUCT IS NON-HAZARDOUS ACCORDING TO U.S. EPA'S HAZARDOUS WASTE MANAGEMENT REGULATIONS 40 CFR SECTION 261. DO NOT REUSE EMPTY CONTAINER.  
Precautions-Handling/Storing: STORE AWAY FROM CAUSTICS AND OXIDIZERS. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP CONTAINERS FROM EXCESSIVE

HEAT AND FREEZING.

Other Precautions: KEEP OUT OF REACH OF CHILDREN.

Control Measures

Respiratory Protection: NOT REQUIRED UNDER NORMAL USAGE AND WITH ADEQUATE VENTILATION. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation: NORMAL ROOM VENTILATION.

Protective Gloves: IMPERVIOUS GLOVES (FP N).

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: WASH CONTAMINATED CLOTHING BEFORE REUSE.

Suppl. Safety & Health Data: USERS OF "L" VERSION OF HMIS SHOULD CONSULT "LR" VERSION FOR ADDITIONAL INFORMATION (FP N).

Transportation Data

Disposal Data

Label Data

Label Required: YES

Label Status: G

Common Name: "33" GLAZING

NONE KNOWN. SEE HEALTH HAZARDS.

Label Name: DAP INC

Label P.O. Box: 277

Label City: DAYTON

Label State: OH

Label Zip Code: 45401-0277

Label Country: US

Label Emergency Number: 800-543-3840