

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/06/2015 Revision date: 11/21/2017

Supersedes: 09/24/2015

Version: 1.2

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixtures
Product name	: Mercuric Nitrate, 0.141N (0.071M)
Product code	: LC16660
1.2. Recommended use and restrictions	on use
Use of the substance/mixture	: For laboratory and manufacturing use only.
Recommended use	: Laboratory chemicals
Restrictions on use	: Not for food, drug or household use
1.3. Supplier	
LabChem Inc Jackson's Pointe Commerce Park Building 1000 Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com	, 1010 Jackson's Pointe Court
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 or 011-703-527-3887
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	nixture

GHS-I	IS	cla	aeei	ific	rati	ion

GHS-05 classification		
Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Acute toxicity (inhalation:dust,mist) Category 4	H332	Harmful if inhaled
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs (nervous system, kidneys, blood) through prolonged or repeated exposure
Hazardous to the aquatic environment - Acute Hazard Category 2	H401	Toxic to aquatic life
Hazardous to the aquatic environment - Chronic Hazard Category 2	H411	Toxic to aquatic life with long lasting effects
Full toxt of H statements : cos	soction 16	

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation H373 - May cause damage to organs (nervous system, kidneys, blood) through proto repeated exposure H411 - Toxic to aquatic life with long lasting effects P260 - Do not breathe mist, vapors, spray 	nged or
	GHS07 GHS08 GHS09	
Hazard pictograms (GHS-US)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P270 P27 P280 P300 clott P300 lens P31 P330 P31 P330 P330 P330 P330 P330 P	 4 - Wash exposed skin thoroughly after handling 0 - Do not eat, drink or smoke when using this product 1 - Use only outdoors or in a well-ventilated area 3 - Avoid release to the environment 0 - Wear protective gloves, protective clothing, eye protection, face protection 3+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated ning. Rinse skin with water/shower 5+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact es, if present and easy to do. Continue rinsing 4 - Get medical advice and attention if you feel unwell 2+P313 - If skin irritation occurs: Get medical advice/attention 7+P313 - If eye irritation persists: Get medical advice/attention 3 - Wash contaminated clothing before reuse 1 - Collect spillage 1 - Dispose of contents/container to comply with local, state and federal regulations naled. Remove person to fresh air and keep comfortable for breathing
	naled: Remove person to fresh air and keep comfortable for breathing
zards which do not result in classif	fication

2.3. Other hazards which do not result in classification Other hazards not contributing to the

: None under normal conditions.

classification

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. **Substances**

- Not applicable
- 3.2. **Mixtures**

Name	Product identifier	%	GHS-US classification
Water	(CAS-No.) 7732-18-5	96.46	Not classified
Mercuric Nitrate, Dihydrate	(CAS-No.) 22852-67-1	2.54	Acute Tox. 2 (Oral), H300 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Nitric Acid, 70% w/w	(CAS-No.) 7697-37-2	1	Ox. Liq. 3, H272 Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	cts (acute and delayed)
Symptoms/effects	: Causes damage to organs (blood).
Symptoms/effects after inhalation	: Possible inflammation of the respiratory tract. Headache. Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/effects after skin contact	: May stain the skin. Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Nausea. Vomiting. Diarrhoea. Impairment of the nervous system. Swallowing a small quantity of this material will result in serious health hazard.
Chronic symptoms	: Impairment of the nervous system. Decreased renal function.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	d special treatment, if necessary
Hospitalize at once.	
SECTION 5: Fire-fighting measur	es
5.1. Suitable (and unsuitable) exting	Juishing media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Insuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the	ie chemical
lo additional information available	
.3. Special protective equipment a	nd precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
	chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release n	neasures
5.1. Personal precautions, protectiv	e equipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Safety glasses. Protective clothing. Gloves.
Emergency procedures	: Evacuate unnecessary personnel.
.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
.2. Environmental precautions	
	Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.
5.3. Methods and material for conta Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect
nethous for cleaning up	spillage. Store away from other materials.
.4. Reference to other sections	
See Heading 8. Exposure controls and pers	onal protection.
ECTION 7: Handling and storag	•
7.1. Precautions for safe handling Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or
recautions for sale nanoling	smoking and when leaving work. Provide good ventilation in process area to prevent formation
	of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing mist, vapors.
lygiene measures	 Do not eat, drink or smoke when using this product. Wash exposed skin thoroughly after handling.
Conditions for onfo stores in	
7.2. Conditions for safe storage, inc	
Storage conditions	 Keep only in the original container in a cool, well ventilated place away from : incompatible materials. Keep container closed when not in use.
ncompatible products	: Strong reducing agents. silver nitrate. Strong bases.
ncompatible materials	: Sources of ignition. Direct sunlight.
SECTION 8: Exposure controls/p	ersonal protection
3.1. Control parameters	
Mercuric Nitrate, Dihydrate (22852-67-1)	
ACGIH ACGIH TV	VA (ma/m ³) 0.025 ma/m ³ (Mercury, Inorganic forms, as Ha: USA:

ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m ³ (Mercury, Inorganic forms, as Hg; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
OSHA	OSHA PEL (TWA) (mg/m ³)	0.1 mg/m ³ as Hg
IDLH	US IDLH (mg/m ³)	10 mg/m³ as Hg
NIOSH	NIOSH REL (TWA) (mg/m ³)	0.05 mg/m³ Vapor, As Hg

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitric Acid, 70% w/	w (7697-37-2)	
ACGIH	ACGIH TWA (ppm)	2 ppm (Nitric acid; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	4 ppm (Nitric acid; USA; Short time value; TLV - Adopted Value)
OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	2 ppm
IDLH	US IDLH (ppm)	25 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	5 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	2 ppm
NIOSH	NIOSH REL (STEL) (mg/m ³)	10 mg/m ³
NIOSH	NIOSH REL (STEL) (ppm)	4 ppm
Water (7732-18-5)		
Not applicable		

8.2. Appropriate engineering controls

Appropriate engineering controls

: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Safety glasses.



Hand protection:

Wear protective gloves

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Respiratory protection not required in normal conditions

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical an	d chemical properties	
9.1. Information on basic	physical and chemical properties	
Physical state	: Liquid	
Color	: Colorless	
Odor	: None.	
Odor threshold	: No data available	
рН	: ≤7	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

o o	
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivit	у	
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Discolours on exposure to light.		
10.3. Possibility of hazardous reactions		
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperat	ures.	
10.5. Incompatible materials		
silver nitrate. Strong reducing agents. Strong b	ases.	
10.6. Hazardous decomposition product		
Nitrogen oxides. mercury.		
ç ;	at an	
SECTION 11: Toxicological informa		
11.1. Information on toxicological effect	S	
Likely routes of exposure	: Skin and eye contact	
Acute toxicity	: Oral: Harmful if swallowed. Inhalation:dust.mist: Harmful if inhaled.	
Mercuric Nitrate, 0.141N (0.071M)	1004 malla	
LD50 dermal rat	1024 mg/kg 2953 mg/kg	
	1.95 mg/l/4h	
LC50 inhalation rat (mg/l) ATE US (oral)	1024 mg/kg body weight	
ATE US (dermal)	2953 mg/kg body weight	
ATE US (vapors)	1.95 mg/l/4h	
ATE US (dust, mist)	1.95 mg/l/4h	
Mercuric Nitrate, Dihydrate (22852-67-1)		
LD50 oral rat	26 mg/kg (Rat)	
LD50 dermal rat	75 mg/kg (Rat)	
ATE US (oral)	26 mg/kg body weight	
ATE US (dermal)	75 mg/kg body weight	
ATE US (gases)	100 ppmV/4h	
11/21/2017	EN (English US)	5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-			
Mercuric Nitrate, Dihydrate (22852-67-1)				
ATE US (vapors)	0.5 mg/l/4h			
ATE US (dust, mist)	0.05 mg/l/4h			
Water (7732-18-5)				
LD50 oral rat	≥ 90000 mg/kg			
ATE US (oral)	90000 mg/kg body weight			
Skin corrosion/irritation	: Causes skin irritation.			
	pH: ≤ 7			
Serious eye damage/irritation	: Causes serious eye irritation.			
	pH: ≤ 7			
Respiratory or skin sensitization	: Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			
Specific target organ toxicity - single exposure	: Not classified			
Specific target organ toxicity – repeated exposure	: May cause damage to organs (nervous system, kidneys, blood) through prolonged or repeated exposure.			
Aspiration hazard	: Not classified			
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. Harmful if swallowed. Harmful if inhaled.			
Symptoms/effects after inhalation	: Possible inflammation of the respiratory tract. Headache. Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.			
Symptoms/effects after skin contact	: May stain the skin. Causes skin irritation.			
Symptoms/effects after eye contact	: Causes serious eye irritation.			
Symptoms/effects after ingestion	: Nausea. Vomiting. Diarrhoea. Impairment of the nervous system. Swallowing a small quantity of this material will result in serious health hazard.			
Chronic symptoms	: Impairment of the nervous system. Decreased renal function.			

SECTION 12: Ecological information

12.1. Toxicity				
cology - water : Toxic to aquatic life. Toxic to aquatic life with long lasting effects.				
Mercuric Nitrate, 0.141N (0.071M)				
EC50 Daphnia 1	3.9 mg/l			
Mercuric Nitrate, Dihydrate (22852-67-1)				
EC50 Daphnia 1	0.0052 mg/l (EC50; 48 h)			
LC50 fish 2	0.033 ppm (LC50; 96 h)			
Threshold limit algae 1	0.4 ppm (EC50)			
Nitric Acid, 70% w/w (7697-37-2)				
EC50 Daphnia 1	180 mg/l (EC50; 48 h)			
LC50 fish 2	72 ppm (LC50; 96 h)			
Threshold limit algae 1 > 19 mg/l (EC0)				

12.2. Persistence and degradability

Mercuric Nitrate, 0.141N (0.071M)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Mercuric Nitrate, Dihydrate (22852-67-1)		
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. Adsorbs into the soil.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-				
Nitric Acid, 70% w/w (7697-37-2)					
Persistence and degradability	Biodegradability: not applicable. No test data on mobility of the components available.				
Biochemical oxygen demand (BOD)	Not applicable				
Chemical oxygen demand (COD)	Not applicable				
ThOD	Not applicable				
Water (7732-18-5)					
Persistence and degradability	Not established.				
2.3. Bioaccumulative potential					
Mercuric Nitrate, 0.141N (0.071M)					
Bioaccumulative potential	Bioaccumable.				
Mercuric Nitrate, Dihydrate (22852-67-1)					
Bioaccumulative potential	Bioaccumable.				
Nitric Acid, 70% w/w (7697-37-2)					
BCF fish 1	<= 1 (BCF)				
Log Pow	-2.3 (OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method)				
Bioaccumulative potential	Bioaccumulation: not applicable.				
Water (7732-18-5)					

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.
Other information	: Avoid release to the environment.

SECTION 13: Disposal considerations				
13.1. Disposal methods				
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to comply with local, state and federal regulations.			
Ecology - waste materials	: Avoid release to the environment.			

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

SECTION 15: Regulatory information				
15.1. US Federal regulations				
Mercuric Nitrate, 0.141N (0.071M)				
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard Immediate (acute) health hazard			

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Mercuric Nitrate, Dihydrate	CAS-No. 22852-67-1	2.54%
Nitric Acid, 70% w/w	CAS-No. 7697-37-2	1%

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mercuric Nitrate, Dihydrate (22852-67-1)		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	10 lb	
Nitric Acid, 70% w/w (7697-37-2)		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

15.2. International regulations

CANADA

Mercuric Nitrate, Dihydrate (22852-67-1)				
Listed on the Canadian DSL (Domestic Substances List)				

EU-Regulations

No additional information available

National regulations

Mercuric Nitrate, Dihydrate (22852-67-1)

Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Mercuric Nitrate, Dihydrate (22852-67-1)				
U.S California - Proposition 65 - Carcinogens List U.S California - Proposition 65 - Developmental Toxicity		U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

SECTION 16: Other information	N 16: Other information		
Revision date	: 11/21/2017		
Other information	: None.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Full text of H-phrases: see section 16:		
	H272	May intensify fire; oxidizer	
	H290	May be corrosive to metals	
	H300	Fatal if swallowed	
	H302	Harmful if swallowed	
	H310	Fatal in contact with skin	
	H314	Causes severe skin burns and eye damage	
	H315	Causes skin irritation	
	H318	Causes serious eye damage	
	H319	Causes serious eye irritation	
	H330	Fatal if inhaled	
	H332	Harmful if inhaled	
	H373	May cause damage to organs through prolonged or repeated exposure	
	H400	Very toxic to aquatic life	
	H401	Toxic to aquatic life	
	H410	Very toxic to aquatic life with long lasting effects	
	H411	Toxic to aquatic life with long lasting effects	
NF	PA health hazard	: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.	
NF	PA fire hazard	 O - Materials that will not burn under typical dire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. 	
NF	PA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.	
Hazard Rating			
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
_ .		* - Chronic (long-term) health effects may result from repeated overexposure	
	mmability	: 0 Minimal Hazard - Materials that will not burn	
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
Per	sonal protection	: C	
		C - Safety glasses, Gloves, Synthetic apron	

SDS US LabChem

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.