MATERIAL SAFETY DATA SHEET

Rupert, Gibbon & Spider P.O. BOX 425 HEALDSBURG, CA. 95448

ISSUE DATE: 07/01/98

1 - PRODUCT IDENTIFICATION

II - HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS: NONE AS PER SARA TITLE III, SEC. #313: NOT LISTED

CURRENT TLY'S: NOT ESTABLISHED

III - PHYSICAL DATA

APPEARANCE	POWDER
COLOR	BLUE
ODOR	
SOLUBILITY IN WATER	
рН	

IV - FIRE AND EXPLOSION DATA

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL

FIRE OR EXPLOSION HAZARDS: Firefighters should be equipped with protective clothing & self-contained

breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate

closed spaces before entering

PAGE 1

PRODUCT: TURQUOISE MX-G

V-HEALTH EFFECTS DATA

•	\cdot
ANIMAL TOXICITY ORAL	L-LD50 (INGESTION)NO DATA
MCH I CSO	NO DATA
TIDE, LUDGIANA	MODERATELY IRRITATING TO RABBITS
EYE EFFEC15	STIRBLE OT DIGITATION MAKE
SKIN EFFECIS	NON-IRRITATING TO RABBITS
HUMAN EFFECTS OF OV	EREXPOSURE MAY CAUSE RESPIRATORY IRRITATION
3	'I - EMERGENCY AND FIRST AID PROCEDURES
	1. China the summer and lower
EYE CONTACTW	ash immediately with large amounts of water, occasionally lifting the upper and lower
lid	s until no evidence of product remain. Gct medical attention. Do not wear contact
len	ses while handling.
SKIN CONTACTW	ash immediately with soap and plenty of water. If a temporary skin reaction occurs, it
she	ould be treated as allergic contact dermatitis. Launder contaminated clothing before
reu	
as openion if	swallowed, do not induce vomiting. Qualified medical personnel should remove the
INGESTION MALIAMAN	oduct by gastric levage and catharsis. Get medical attention.
pic	water by Brania accept the control of the control o
16:	nhaled, remove to fresh air. If not breathing, give artificial respiration, preferably
INHALATION	outh to mouth. If breathing is difficult, give oxygen. Call a physician.
me	tion to mount. It of earling is difficult, give only 64.
VII.	EMPLOYEE PROTECTION RECOMMENDATIONS
EVE PROTECTION	Employees should wear protective eye-goggles.
,	
CONTROL TECTION 1	This material may be absorbed via the dermal route if prolonged or widespread skin
4	contact coourse. Employees should avoid skin contact by wearing dividually clothing.
	ong sleeve shirts, pants, rubber gloves, and boots are recommended. Additional
. 1	protection such as impervious suits are recommended when the potential for dermal
ŗ	projection such 25 impervious states are reconstructed white the post-free before soling and
C	ontact is significant. Employees should wash their hands and face before eating and
d	Irinking and shower thoroughly before leaving work.
	STORY
RESPIRATORY PROTECT	ONNIOSH approved dust respirator.
	v 4 1 mulii-kinn if ducting is a problem
VENTILATION	Ise local ventilation if dusting is a problem.
	Emergency showers and eye wash stations should be available.
OTHER	Meigency snowers and eye wash stations substant of a temporar

VIII - REACTIVITY DATA

STABILITY	STABLE
POLYMERIZATION	
INCOMPATIBILITY (MATERIALS TO AVOID)	
HAZARDOUS DECOMPOSITION PRODUCTS	
	MONOXIDE, NITROGEN OXIDES, AMMONIA,
	SULFUR OXIDES, HALOGEN, HALOGEN ACIDS,
	POSSIBLE TRACE AMOUNTS OF CARBONYL
	HALLDE

IX - SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED: Do not touch or walk through the spilled material: stop leak if
you can do it without risk. Take up with sand or other non-combustible
absorbent materials and place into containers for later disposal. Scrub
spilled area with detergent, flush with copious amount of water.

WASTE DISPOSAL METHOD: Waste disposal should be in accordance with existing federal, state and local environmental regulations.

X - SPECIAL PRECAUTIONS AND STORAGE DATA

HANDLING AND STORING PRECAUTIONS: Store in dry place, away from excessive heat, in original or similar waterproof container. Reseal container immediately after use. Avoid unnecessary contact.

XI - SHIPPING DATA

PROPER SHIPPING NAME	NON-HAZARDOUS
D.O.T. HAZARD CLASSIFICATION	. Non-Regulated
FRT. CLASS PACKAGE	INK MATERIAL

XII - APPROVALS

DATE PRINTED.	07/23/98
DATE APPROVE	D03/01/98