Safety Data Sheet MEGA-CRETE FAST CURE BASE

Supercedes Date 07/29/2014 Issuing Date 05/11/2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name MEGA-CRETE FAST CURE BASE Recommended use Patching compound Information on Manufacturer
Mega Metals, Partsmaster, Div of NCH Corp.

P.O. Box 655326 Dallas, TX 75265-5326 Product Code 57562901 Chemical nature Organic solvent Emergency Telephone Number CHEMTREC[®] 800-424-9300 Telephone inquiry

2. HAZARD IDENTIFICATION

800-336-0450

Color Amber Physical state Liquid Odor Sweet

Category 4

Category 1

Category 2A

GHS

Classification

Physical Hazards

Flammable liquids

Health Hazard

Aspiration Toxicity

Serious Eye Damage/Eye Irritation

Other hazards

None

LabelingSignal Word

DANGER



Hazard statements

H227 - Combustible liquid

H319 - Causes serious eye irritation

H304 - May be fatal if swallowed and enters airways

Precautionary Statements

P210 - Keep away from heat, sparks, open flames or hot surfaces.

P280 - Wear protective gloves, protective clothing and eye protection.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P301+ P310 - IF SWALLOWED: Immediately call a physician

P331 - DO NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

 $\mbox{P305} + \mbox{P351} + \mbox{P338}$ - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists, get medical attention.

 ${\rm P370} + {\rm P378} - {\rm In~case~of~fire:~use~water,~alcohol~foam,~dry~chemical~or~carbon~dioxide}$

for extinction

P403 + P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up

P501 - Dispose of contents and container to an approved waste disposal plant.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS No.	Weight %
Tetrahydroxypropyl ethylenediamine	102-60-3	15-40
2,2,4-trimethyl-1,3-pentanediol diisobutyrate	6846-50-0	10-30
Solvent naphtha (petroleum), heavy aliphatic	64742-96-7	10-30
Petroleum distillates, hydrotreated light	64742-47-8	10-30
Calcium oxide	1305-78-8	0.1-1.0

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General advice Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist, or gas.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation

develops and persists.

and shoes. Get medical attention if irritation develops and persists. Wash contaminated clothing

before re-use.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms occur. Call a physician or poison

control center immediately.

Ingestion If swallowed. Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Drink 1 or 2 glasses of water. Consult a physician. Do NOT induce

Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing

vomiting. Get medical attention immediately.

Lower: .7

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point No data available 141.8 °F / 61 °C Method Tag closed cup

Upper: 5. **Suitable Extinguishing Media**

Carbon dioxide (CO2). Dry chemical. Water spray.

Unsuitable Extinguishing Media

Do NOT use water jet.

Skin Contact

Specific hazards arising from the chemical

Solvent vapors are heavier than air and may spread along floors. Vapors may ignite and explode. Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.

NFPA Health 2 Flammability 2 Instability 1 **HMIS** Health 2 Flammability 2 Instability 1

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Remove all sources of ignition. Ensure adequate ventilation. Use personal protective

equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery

conditions.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

regulations (see section 13).

Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Neutralizing Agent Not applicable.

7. HANDLING AND STORAGE

Handling Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures

against static discharges. Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist or

Keep away from open flames, hot surfaces and sources of ignition. Store in original container. Keep Storage

containers tightly closed in a dry, cool and well-ventilated place.

Storage Temperature 77 °F / 25 °C Maximum 86 °F / 30 °C Minimum **Storage Conditions** Indoor Χ Outdoor Heated Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, hydrotreated light	525 mg/m ³ TWA	No data available	No data available
Calcium oxide	TWA: 2 mg/m ³	TWA: 5 mg/m ³	25 mg/m ³
			TWA: 2 mg/m ³

Engineering Measures

Personal Protective Equipment

Ensure adequate ventilation, especially in confined areas.

Eye/Face Protection

Safety glasses with side-shields.

Skin Protection Wear suitable protective clothing, Impervious gloves.

Respiratory Protection In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Avoid contact with skin and clothing. Wash hands and face before breaks and immediately after handling the product. Ensure that eyewash

stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid Viscosity 400 cps Color Amber Odor Sweet **Odor Threshold** Not applicable Translucent **Appearance** Not applicable **Specific Gravity** .995

Percent Volatile (Volume) **Evaporation Rate** <1 (ether = 1) No information available

VOC Content (%) No information available. VOC Content (q/L) 53.5 (combined) Vapor Pressure No information available Vapor Density (Air = 1.0)Solubility Insoluble n-Octanol/Water Partition No data available Melting Point/Range No data available No data available **Decomposition Temperature Boiling Point/Range** 392 °F / 200 °C Flammability (solid, gas) No data available Flash Point No data available 141.8 °F / 61 °C Method Tag closed cup

Autoignition Temperature No information available.

Upper: 5. Lower: .7

10. STABILITY AND REACTIVITY

Chemical Stability Stable. Hazardous polymerization does not occur.

Conditions to Avoid Keep away from open flames, hot surfaces, and sources of ignition. Incompatible Products

Strong acids, Strong bases, Isocyanates, Oxidizing agents.

Decomposition Temperature No data available

Hazardous Decomposition Products Carbon oxides, Nitrogen oxides (NOx), Fumes.

Possibility of Hazardous Reactions None under normal processing.

11. TOXICOLOGICAL INFORMATION

No information available. **Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 3292 **Dermal LD50** 2375

Inhalation LC50

No information available Gas No information available Mist Vapor No information available

Principle Route of Exposure Skin contact, Eye contact, Inhalation. **Primary Routes of Entry** Skin contact, Ingestion, Skin Absorption.

Acute Effects:

Eyes Contact with eyes may cause irritation.

Skin May cause irritation seen as itching and redness. Repeated exposure may cause skin dryness or

Inhalation may cause central nervous system effects. Symptoms and signs include headache, Inhalation

dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of

consciousness. May cause central nervous system depression.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard if Ingestion

swallowed - can enter lungs and cause damage. May be fatal if swallowed and enters airways.

Chronic Toxicity Prolonged skin contact may cause skin irritation and/or dermatitis.

Target Organ Effects Central nervous system, Kidney, Respiratory system.

Aggravated Medical Conditions Neurological disorders, Central nervous system, Kidney disorders.

Component Information

Acute Toxicity

Acute Toxicity	bute Toxicity					
Component	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other	
2,2,4-trimethyl-1,3-pentanediol diisobutyrate 6846-50-0	> 3200 mg/kg (Rat)	no data available	No data available	No data available	No data available	
Solvent naphtha (petroleum), heavy aliphatic 64742-96-7	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.28 mg/L (Rat) 4 h	No data available	No data available	
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	no data available	No data available	No data available	
Calcium oxide	= 500 mg/kg (Rat)	no data available	No data available	No data available	No data available	

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Calcium oxide 1305-78-8	No data available	No data available	No data available	No data available	Skin; Eyes; Respiratory system

Carcinogenicity There are no known carcinogenic chemicals in this product.

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	Partition coefficien
2,2,4-trimethyl-1,3-pentanediol diisobutyrate	No information available.	LC50 > 1.55 mg/L Pimephales promelas 96 h	No information available	1.46: 48 h Daphnia magna mg/L EC50	N/A
Petroleum distillates, hydrotreated light	No information available.	LC50 = 45 mg/L Pimephales promelas 96 h LC50 = 2.2 mg/L Lepomis macrochirus 96 h LC50 = 2.4 mg/L Oncorhynchus mykiss 96 h	No information available	No information available.	N/A
Calcium oxide	No information available.	LC50 = 1070 mg/L Cyprinus carpio 96 h	No information available	No information available.	N/A

Persistence and DegradabilityNo information available.BioaccumulationNo information available.MobilityNo information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name <119 gallons - not regulated; >119 gallons: Petroleum distillates, n.o.s.

 Hazard Class
 3

 UN-No
 UN1268

 Packing Group
 III

Description UN1268, Petroleum distillates, n.o.s., 3, PG III ***Exceptions may exist per DOT 49 CFR

TDG

Proper shipping name <119 gallons - not regulated; >119 gallons: Petroleum distillates, n.o.s.

Hazard Class 3 UN-No UN1268 Packing Group III

Description UN1268, Petroleum distillates, n.o.s., 3, PG III *** exceptions may exist per TDG

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA Complies
DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of	Reactive Hazard
			Pressure Hazard	
Yes	Yes	Yes	No	No

CERCLA None

U.S. State Regulations California Proposition 65

WARNING! This product contains a chemical known in the State of California to cause birth defects

or other reproductive harm

WARNING! This product contains a chemical known in the State of California to cause cancer

16. OTHER INFORMATION

Prepared By Christopher Drogin Supercedes Date 07/29/2014 Issuing Date 05/11/2017

Reason for RevisionNo information available.GlossaryNo information available.List of References.No information available.

Mega Metals, Partsmaster, Div of NCH Corp. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Safety Data Sheet MEGA-CRETE FAST CURE ACTIVATOR

Supercedes Date 07/29/2014 Issuing Date 05/11/2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name MEGA-CRETE FAST CURE ACTIVATOR Recommended use Polyurethane Coating Information on Manufacturer

Mega Metals, Partsmaster, Div of NCH Corp.

P.O. Box 655326 Dallas, TX 75265-5326 Product Code 57562902 Chemical nature Isocyanates **Emergency Telephone Number** CHEMTREC® 800-424-9300 Telephone inquiry

800-336-0450

2. HAZARD IDENTIFICATION

Color dark brown Physical state Liquid **Odor** Slight Musty

GHS

Classification

Physical Hazards

Health Hazard

Acute Inhalation Toxicity - Gas Category 2 Acute toxicity - Inhalation (Dusts/Mists) Category 4 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 2A Respiratory Sensitization Category 1 Specific target organ systemic toxicity (single exposure) Category 3 Specific target organ toxicity (repeated exposure) Category 2

Other hazards

None

Labeling Signal Word

DANGER



Hazard statements

H319 - Causes serious eye irritation

H315 - Causes skin irritation

H330 - Fatal if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if P280 - Wear protective gloves, protective clothing and eye protection. inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H335 - May cause respiratory irritation

Precautionary Statements

P260 - Do not breathe vapor, mist or gas. P271 - Use in a well-ventilated area.

P284 - Wear respiratory protection

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P320 - Specific treatment is urgent (see supplemental first aid instructions on this label)

P314 - Get medical advice/attention if you feel unwell

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P310 - Immediately call a physician.

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P362 - Take off contaminated clothing and wash before reuse.

P333 + P313 - If skin irritation or rash occurs, get medical attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists, get medical attention.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up

P501 - Dispose of contents and container to an approved waste disposal plant.

4 % of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS No.	Weight %
Polymeric diphenylmethane diisocyanate	9016-87-9	30-60

Methylene bisphenol isocyanate (MDI)	101-68-8	30-60
Methylenediphenyl diisocyanate	26447-40-5	3-7
Polymethylene polyphenylisocyanate, polyethylene glycol polymer	57636-09-6	1-5
1,3-Bis(4-((4-isocyanatophenyl)methyl)phenyl)-1,3-diazetidine-2,4-	17589-24-1	0.1-1.0
dione		

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General advice No information available.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.

Inhalation Move to fresh air.

Ingestion Clean mouth with water and afterwards drink plenty of water.

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point Not flammable > 392 °F / > 200 °C Method Closed cup Upper: No data available Lower: No data available

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical Carbon oxides, nitrogen oxides (NOx).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.

NFPA Health 2 Flammability 1 Instability 1
HMIS Health 2 Flammability 1 Instability 1

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Ensure adequate ventilation.

Environmental Precautions Prevent further leakage or spillage if safe to do so.

Methods for Containment No information available.

Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Neutralizing Agent Not applicable.

7. HANDLING AND STORAGE

Handling Ensure adequate ventilation.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage TemperatureMinimumNo information availableMaximumNo information availableStorage ConditionsIndoorOutdoorHeatedRefrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Methylene bisphenol isocyanate (MDI)	TWA: 0.005 ppm	Ceiling: 0.02 ppm	75 mg/m ³
		Ceiling: 0.2 mg/m ³	Ceiling: 0.020 ppm
			Ceiling: 0.2 mg/m ³
			TWA: 0.005 ppm
			TWA: 0.05 mg/m ³
Methylenediphenyl diisocyanate	No data available	Ceiling: 0.02 ppm	No data available
		Ceiling: 0.2 mg/m ³	
Chlorobenzene	TWA: 10 ppm	TWA: 75 ppm	1000 ppm
		TWA: 350 mg/m ³	

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection Safety glasses with side-shields.

Skin Protection For prolonged or repeated contact, use protective gloves with appropriate chemical resistance.

Respiratory Protection In case of insufficient ventilation wear suitable respiratory equipment.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical stateLiquidViscosity100 mPa/s (dynamic)Colordark brownOdorSlight Musty

Odor Threshold Not applicable Appearance No information available.

pH Not applicable Specific Gravity 1.15

Bulk Density (lb/cu ft) 71.9 **Evaporation Rate** No information available Percent Volatile (Volume) No information available VOC Content (%) No information available. VOC Content (g/L) 53.5 (combined) Vapor Pressure <0.1mmHg @ 70 F **Vapor Density** No information available Solubility No information available. n-Octanol/Water Partition Melting Point/Range No data available No data available

Decomposition Temperature No data available Boiling Point/Range 374 °F / 190 °C Flammability (solid, gas) No data available

Flash Point Not flammable > 392 °F / > 200 °C Method Closed cup

Autoignition Temperature No information available.

Upper: No data available Lower: No data available

10. STABILITY AND REACTIVITY

Chemical StabilityStable under normal conditions.Conditions to AvoidProtect from moisture, Protect from water.

Incompatible Products Acids, Amines, Alcohols, Water, Alkaline, Strong bases.

Decomposition Temperature No data available

Hazardous Decomposition Products Carbon oxides, Nitrogen oxides (NOx), Hydrogen cyanide, Isocyanides.

Possibility of Hazardous Reactions None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 No information available
Dermal LD50 No information available

Inhalation LC50

Gas 101

Mist No information available

Vapor 1.53

Principle Route of Exposure None reasonably foreseeable.

Primary Routes of Entry None known.

Acute Effects:

Eyes May cause slight irritation.

Skin Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Inhalation May cause allergic respiratory reaction.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Toxicity
No information available.
Target Organ Effects
No information available.
Aggravated Medical Conditions
No information available.

Component Information

Acute Toxicity

Component	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Polymeric diphenylmethane	No data available	no data available	= 490 mg/m ³ (Rat) 4 h	No data available	No data available
diisocyanate			J 3 (,		
9016-87-9					
Methylene bisphenol isocyanate	= 31600 mg/kg (Rat) >	> 6200 mg/kg (Rabbit)	= 369 mg/m ³ (Rat) 4 h =	No data available	No data available
(MDI)	7400 mg/kg (Rat)		0.369 mg/L (Rat) 4 h		
101-68-8			0.000 mg/2 (rtat / 1 m		
Methylenediphenyl diisocyanate	> 7400 mg/kg (Rat)	> 6200 mg/kg (Rabbit)	= 0.369 mg/L (Rat) 4 h	No data available	No data available
			·		
26447-40-5					

Component	Mutagenicity	Sensitization	Developmental	Reproductive	Target Organ Effects
			Toxicity	Toxicity	
Polymeric diphenylmethane diisocyanate 9016-87-9	No data available	Skin sensitizer and respiratory sensitizer	No data available	No data available	Immune system
Methylene bisphenol isocyanate (MDI) 101-68-8	No data available	Skin sensitizer, Respiratory sensitizer	No data available	No data available	Eyes; Respiratory system

Carcinogenicity There are no known carcinogenic chemicals in this product.

Component	ACGIH	IARC	NTP	OSHA	Other
Polymeric diphenylmethane	not applicable	Group 3	not applicable	not applicable	not applicable

diisocyanate 9016-87-9					
Methylene bisphenol isocyanate (MDI) 101-68-8	not applicable	Group 3	not applicable	not applicable	not applicable
Methylenediphenyl diisocyanate 26447-40-5	not applicable	Group 3	not applicable	not applicable	not applicable

12. ECOLOGICAL INFORMATION

Product Information

No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	Partition
					coefficien
Methylenediphenyl diisocyanate	No information available.	No information available.	No information available	No information available.	4.5

Persistence and Degradability

Bioaccumulation Mobility No information available. No information available. No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA Complies DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of	Reactive Hazard
			Pressure Hazard	
No	No	No	No	No

CERCLA None

	Component	Hazardous Substances RQs	CERCLA EHS RQs
I	Methylene bisphenol isocyanate (MDI)	5000 lb	Not applicable

U.S. State Regulations

California Proposition 65 This product does not contain any Proposition 65 chemicals.

16. OTHER INFORMATION

Prepared By Christopher Drogin
Supercedes Date 07/29/2014
Issuing Date 05/11/2017

Reason for RevisionNo information available.GlossaryNo information available.List of References.No information available.

Mega Metals, Partsmaster, Div of NCH Corp. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.