GHS

Printing date 18.02.2013 Revision: 18.02.2013 1 Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier · Trade name: Butane Lighter · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the preparation Fuel 1.3 Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: SternoCandleLamp 1880 Compton Ave. 101 eLamp Corona, CA 92881 Phone: 951-682-9600 · Further information obtainable from: Product Safety Department · 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585 2 Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Gas 1 H220 Extremely flammable gas. Press. Gas H280 Contains gas under pressure; may explode if heated. Classification according to Directive 67/548/EEC or Directive 1999/45/EC 🐞 F+; Extremely flammable Extremely flammable. R12: Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · 2.2 Label elements - Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2)

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Butane Lighter	
· Hazard pictograms	(Contd. of page 1)
GHS02	
 Signal word Danger Hazard statements H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381 Eliminate all ignition sources if safe to do so. 	
 P410+P403 Protect from sunlight. Store in a well-ventilated place. P403 Store in a well-ventilated place. Additional information: N/A Hazard description: WHMIS-symbols: A - Compressed gas B1 - Flammable gas 	
· NFPA ratings (scale 0 - 4)	
Health = 0 Fire = 4 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTHImage: OFIREImage: OFIREImage: OREACTIVITYImage: OReactivityImage: O	
· HMIS Long Term Health Hazard Substances	
None of the ingredients is listed.	
 2.3 Other hazards Results of PBT and vPvB assessment 	
• PBT: Not applicable. • vPvB: Not applicable.	

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Butane Lighter

(Contd. of page 2)

3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 			
CAS: 106-97-8	butane	👌 F+ R12	50-100%
EINECS: 203-448-7		🚸 Flam. Gas 1, H220	
Index number: 601-004-00-0		Press. Gas, H280	
CAS: 74-98-6	propane	🔥 F+ R12	10-25%
EINECS: 200-827-9		🚸 Flam. Gas 1, H220	
Index number: 601-003-00-5		Press. Gas, H280	
Additional information: For the wording of the listed risk phrases refer to section 16			

Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- · Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

Printing date 18.02.2013

Revision: 18.02.2013

(Contd. of page 3)

Trade name: Butane Lighter

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling Open and handle receptacle with care.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep container tightly sealed.

Do not seal receptacle gas tight.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

8.1	Control	parameters
••••	••••••	pului ul 10000

· Ingredients with limit values that require monitoring at the workplace:			
106-97-8 butane			
REL (USA)	1900 mg/m³, 800 ppm		
TLV (USA)	Varies mg/m ³ , 1000 ppm		
EL (Canada)	Short-term value: 750 ppm Long-term value: 600 ppm		
EV (Canada)	800 ppm		
74-98-6 propane			
PEL (USA)	1800 mg/m³, 1000 ppm		
REL (USA)	1800 mg/m³, 1000 ppm		
TLV (USA)	Varies mg/m ³ , 1000 ppm		
EL (Canada)	1000 ppm		
	(Contd. on page 5)		

Printing date 18.02.2013

Revision: 18.02.2013

(Contd. of page 4)

Trade name: Butane Lighter

EV (Canada) 1,000 ppm

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Wash hands before breaks and at the end of work.

· Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

· 9.1 Information on basic physical a	and chemical properties	
General Information	and chemical properties	
Appearance:		
Form:	Compressed liquefied gas	
Colour:	Colourless	
Odour:	Like rotten eggs (mercaptans)	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	-12 °C	
Flash point:	-60 °C	
Flammability (solid, gaseous):	Extremely flammable liquefied gas.	
Ignition temperature:	365 °C	

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Butane Lighter

	(Contd. of page 5)
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
 Explosion limits: Lower: Upper: 	1,5 Vol % 10,9 Vol %
· Vapour pressure at 20 °C:	8300 hPa
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not determined. Not applicable.
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	r): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: 9.2 Other information 	100,0 % No further relevant information available.

10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: Carbon monoxide

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.

(Contd. on page 7)

Printing date 18.02.2013

Trade name: Butane Lighter

· Sensitization: No sensitizing effects known.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN1057	
 14.2 UN proper shipping name DOT, IMDG, IATA ADR 	LIGHTERS 1057 LIGHTERS	
· 14.3 Transport hazard class(es)		
· DOT		
Class	2.1	
		(Contd. on page

(Contd. of page 6)

Revision: 18.02.2013

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Butane Lighter

	(Contd. of p
Label	2.1
ADR, IMDG, IATA	
Class	2.1
Label	2.1
14.4 Packing group	
DOT, ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anr	nex II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
UN "Model Regulation":	UN1057, LIGHTERS, 2.1, II

15 Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California):

Note: There are no Proposition 65 substances listed in this chemical formulation. However, the metal container may contain trace amounts (less than 0.1% by weight) of lead, a substance known to the State of California to cause reproductive toxicity (males and females), developmental toxicity, and/or cancer. Increased risk of lead toxicity is not anticipated with normal use of this product. Notes below reference the chemical formulation only.

Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 9)

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Butane Lighter

	(Contd. of page 8)
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
• TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
• NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
• OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%)	
106-97-8 butane	
15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carrie	d out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

R12 Extremely flammable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 10)

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Butane Lighter

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) · Sources

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

(Contd. of page 9)