



SAFETY DATA SHEET

TRUE FLOW ACRYLIC PAINT
Issue date: 10/11/2012

SDS ID: 00111012
Revision Date: ---

***** Section 1 – PRODUCT AND COMPANY IDENTIFICATION *****

Product Name: TRUE FLOW ACRYLIC PAINT

SCHOOL SPECIALTY

Phone: 1-920-243-5225

W6316 Design Drive.
Greenville, WI 54912-1579
www.schoolspecialty.com

Health Emergency – Call local Poison Control Center

Synonyms:

Paint Acrylic Venetian Red True Flow Pint, Quart, Half Galon
Paint Acrylic Burnt Sienna True Flow Pint, Quart, Half Galon
Paint Acrylic Raw Sienna True Flow Pint, Quart, Half Galon
Paint Acrylic Raw Umber True Flow Pint, Quart, Half Galon
Paint Acrylic Yellow Ochre True Flow Pint, Quart, Half Galon
Paint Acrylic Phthalo Green True Flow Pint, Quart, Half Galon
Paint Acrylic Magenta True Flow Pint, Quart, Half Galon
Paint Acrylic Chrome Oxide Green True Flow Pint, Quart, Half Galon
Paint Acrylic Cobalt Blue True Flow Pint, Quart, Half Galon
Paint Acrylic Phthalo Red True Flow Pint, Quart, Half Galon
Paint Acrylic Raw Sienna True Flow Pint, Quart, Half Galon
Paint Acrylic Raw Sienna True Flow Pint, Quart, Half Galon
Paint Acrylic Bright Red True Flow Pint, Quart, Half Galon
Paint Acrylic Golden Yellow True Flow Pint, Quart, Half Galon
Paint Acrylic Chrome Yellow True Flow Pint, Quart, Half Galon
Paint Acrylic Ultramarine Blue True Flow Pint, Quart, Half Galon
Paint Acrylic Phthalo Blue True Flow Pint, Quart, Half Galon
Paint Acrylic Chrome Orange True Flow Pint, Quart, Half Galon
Paint Acrylic Emerald Green True Flow Pint, Quart, Half Galon
Paint Acrylic Violet True Flow Pint, Quart, Half Galon
Paint Acrylic Mars Black True Flow Pint, Quart, Half Galon
Paint Acrylic Titanium White True Flow Pint, Quart, Half Galon
Paint Acrylic Fire Red True Flow Pint, Quart, Half Galon
Paint Acrylic True Flow Quart Set of 6
Paint Acrylic True Flow Pint Set of 12
Paint Acrylic True Flow Quart Set of 6

Product Codes:

15-2428, 15-2490, 15-2491, 15-2489, 15-2403, 15-2467, 15-2438, 15-2477,
15-2451, 15-2475, 15-2728, 15-2790, 15-2791, 15-2789, 15-2703, 15-2767,
15-2738, 15-2777, 15-2751, 15-2775, 15-2548, 15-2512, 15-2507, 15-2550,
15-2555, 15-2515, 15-2576, 15-2542, 15-2583, 15-2585, 15-2570, 15-2528,
15-2590, 15-2591, 15-2589, 15-2503, 15-2567, 15-2538, 15-2577, 15-2551,



SAFETY DATA SHEET

TRUE FLOW ACRYLIC PAINT
Issue date: 10/11/2012

SDS ID: 00111012
Revision Date: ---

15-2575, 15-2520, 15-2420, 15-2448, 15-2412, 15-2407, 15-2450, 15-2455,
 15-2415, 15-2476, 15-2442, 15-2483, 15-2485, 15-2470, 15-2720, 15-2748,
 15-2712, 15-2707, 15-2750, 15-2755, 15-2715, 15-2776, 15-2742, 15-2783,
 15-2785, 15-2770, 15-2506, 15-2706, 15-2499.

Product Use: Arts and Crafts

*** Section 2 – HAZARD(S) IDENTIFICATION ***

EMERGENCY OVERVIEW

Color: various colors
Physical Form: liquid

POTENTIAL HEALTH EFFECTS

Inhalation: none
Skin Contact: none
Eye Contact: none
Ingestion: none

*** Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS ***

CAS	Component	Percent	Symbol	Risk Phrase(s)
Not Available	Product has been certified as non-toxic by the US Board Certifies Toxicologist and Conforms to ASTM D-4236 standard practice for Labeling Art Materials for acute and chronic adverse health hazards.	100	---	---

*** Section 4 – FIRST AID MEASURES ***

Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eyes

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

Ingestion

Rinse mouth thoroughly with water. Get medical attention if any discomfort occurs.

*** Section 5 – FIRE FIGHTING MEASURES ***

See Section 9 for Flammability Properties



SAFETY DATA SHEET

TRUE FLOW ACRYLIC PAINT
Issue date: 10/11/2012

SDS ID: 00111012
Revision Date: ---

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0
Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Flammable Properties

Slight fire hazard.

Extinguishing Media

Regular dry chemical, carbon dioxide, water, regular foam

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

*** Section 6 – ACCIDENTAL RELEASE MEASURES ***

Occupational spill/release

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

*** Section 7 – HANDLING AND STORAGE ***

Handling Procedures

Provide adequate ventilation. Wear appropriate protection equipment. Avoid breathing mist or vapor. Avoid contact with eyes and prolonged skin contact. Do not taste or swallow. Keep the workplace clean. Observe good industrial hygiene practices.

Storage Procedures

Store in a well-ventilated place. Store in closed original container at room temperature.

*** Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION ***

Component Exposure Limits

ACGIH and EU have not developed exposure limits for any of this product's components.

Ventilation

Based on available information, additional ventilation is not required.

PERSONAL PROTECTIVE EQUIPMENT

Eyes/Face

Eye protection not required under normal conditions.

Protective Clothing

Protective clothing is not required under normal conditions.

Glove Recommendations

Protective gloves are not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use.

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.



SAFETY DATA SHEET

TRUE FLOW ACRYLIC PAINT
Issue date: 10/11/2012

SDS ID: 00111012
Revision Date: ---

*** Section 9 – PHYSICAL AND CHEMICAL PROPERTIES ***

Appearance:	Liquid	Flash Point:	Not available
Physical State:	Liquid	Flammability:	Not available
Physical Form:	Liquid	Vapor Pressure:	Not available
Color:	Assorted colors	Vapor Density (air=1):	Not available
Odor:	Odorless	Evaporation Rate:	Not available
Odor Threshold:	Not available	Specific Gravity:	1.13 – 1.18
pH:	<=9.5	Density:	9.2 – 9.85 Lbs/Gal
Melting Point:	Not available	Water Solubility:	Soluble
Freezing Point:	Not available	Coeff. Water/Oil Dist:	Not available
Boiling Point:	Not available	Volatility:	Not available
Viscosity:	12000 – 45000 cP		

*** Section 10 – STABILITY AND REACTIVITY ***

Chemical Stability

Stable at normal temperatures and pressure.

Conditions to Avoid

None reported.

Materials to Avoid

Oxidizing materials.

Decomposition Products

Oxides of carbon.

Possibility of Hazardous Reactions

Will not polymerize.

*** Section 11 – TOXICOLOGICAL INFORMATION ***

Component Analysis – LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

RTECS Acute Toxicity (selected)

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, or DFG.

RTECS Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

*** Section 12 – ECOLOGICAL INFORMATION ***



SAFETY DATA SHEET

TRUE FLOW ACRYLIC PAINT
Issue date: 10/11/2012

SDS ID: 00111012
Revision Date: ---

Component Analysis – Aquatic Toxicity

No LOLI ecotoxicity data is available for this product's components.

*** Section 13 – DISPOSAL CONSIDERATION ***

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

*** Section 14 – TRANSPORT INFORMATION ***

US DOT Information:	Not Regulated.
TDG Information:	Not Regulated.
ADR Information:	Not Regulated.
RID Information:	Not Regulated.
IATA Information:	Not Regulated.
ICAO Information:	Not Regulated.
IMDG Information:	Not Regulated.

*** Section 15 – REGULATORY INFORMATION ***

U.S. Federal Regulations

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactive: No

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Not regulated under California Proposition 65

Canada

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

WHMIS CLASSIFICATION: Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

Component Analysis – Inventory

No information is available.



SAFETY DATA SHEET

TRUE FLOW ACRYLIC PAINT
Issue date: 10/11/2012

SDS ID: 00111012
Revision Date: ---

*** Section 16 – OTHER INFORMATION ***

Allergens:

This product does not contain common allergens such as latex, eggs, milk, wheat, gluten, soy, sunflower or other seeds, tree nuts, and peanuts.

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR – European Road Transport; AU – Australia; BOD – Biochemical Oxygen Demand; C – Celsius; CA – Canada; CAS – Chemical Abstracts Service; CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act; CN – China; CPR – Controlled Products Regulations; DFG – Deutsche Forschungsgemeinschaft; DOT – Department of Transportation; DSL – Domestic Substances List; EEC – European Economic Community; EINECS – European Inventory of Existing Commercial Chemical Substances; EPA – Environmental Protection Agency; EU – European Union; F – Fahrenheit; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; ICAO – International Civil Agency Organization; IDL – Ingredient Disclosure List; IDLH – Immediately Dangerous to Life and Health; IMDG – International Maritime Dangerous Goods; JP – Japan; Kow – Octanol/water partition coefficient; KR – Korea; LEL – Lower Explosive Limit; LOLI – List Of Lists – ChemADVIUSOR's Regulatory Database; MAK – Maximum Concentration Value in the Workplace; MEL – Maximum Exposure Limits; NFPA – National Fire Protection Agency; NIOSH – National Institute for Occupational Safety and Health; NJTSR – New Jersey Trade Secret Registry; NTP – National Toxicology Program; NZ – New Zealand; OSHA – Occupational Safety and Health Administration; PH – Philippines; RCRA – Resource Conservation and Recovery Act; RID – European Rail Transport; RTECS – Registry of Toxic Effects of Chemical Substances; SARA – Superfund Amendments and Reauthorization Act; STEL – Short-term Exposure Limit; TDG – Transportation of Dangerous Goods; TSCA – Toxic Substances Control Act; TWA – Time Weighted Average; UEL – Upper Explosive Limit; US – United States.

Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.