

Safety Data Sheet MEGA-SHOT JOLT PART A

Supersedes Date Not applicable

Issuing Date 06/24/2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name MEGA-SHOT JOLT PART A
Recommended use Adhesive
Information on Manufacturer
Mega Metals,Partsmaster,Div of NCH Corp.
P.O. Box 655326
Dallas, TX 75265-5326

Product Code PMM57573
Chemical nature Methyl methacrylate monomer
Emergency Telephone Number
CHEMTREC® 800-424-9300
Telephone inquiry
800-336-0450

2. HAZARD IDENTIFICATION

Color White

Physical state Liquid

Odor Pungent

GHS

Classification

Physical Hazards

Flammable liquids

Category 2

Health Hazard

Acute Oral Toxicity

Category 4

Acute Inhalation Toxicity - Vapors

Category 4

Skin Corrosion/Irritation

Category 1

Serious Eye Damage/Eye Irritation

Category 1

Skin sensitization

Category 1

Specific target organ systemic toxicity (single exposure)

Category 3

Other hazards

None

Labeling

Signal Word

DANGER



Hazard statements

H225 - Highly flammable liquid and vapor
H314 - Causes severe skin burns and eye damage
H302 - Harmful if swallowed
H332 - Harmful if inhaled
H317 - May cause an allergic skin reaction
H335 - May cause respiratory irritation

Precautionary Statements

P210 - Keep away from heat, sparks, open flames or hot surfaces.
P241 - Use explosion-proof electrical, ventilating and lighting equipment
P240 - Ground/bond container and receiving equipment
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P260 - Do not breathe vapor, mist or dust.
P271 - Use in a well-ventilated area.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves, protective clothing and eye protection.
P264 - Wash face, hands and any exposed skin thoroughly after handling
P272 - Contaminated work clothing should not be allowed out of the workplace
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a physician
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P363 - Wash contaminated clothing before reuse
P333 + P313 - If skin irritation or rash occurs, get medical attention
P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a physician if unwell.
P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.
P312 - Call a physician if unwell.
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P235 - Keep cool

P405 - Store locked up
 P370+P378 In case of fire, use dry chemical extinguisher or flush with large amounts of water for extinction.
 P501 - Dispose of contents and container in accordance with applicable local regulations.

3 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Component | CAS No. | Weight % * |
|---------------------------|------------|------------|
| Methyl methacrylate | 80-62-6 | 30-60 |
| Styrene-butadiene polymer | 9003-55-8 | 30-40 |
| Methacrylic acid | 79-41-4 | 10-15 |
| tert-Butyl peroxybenzoate | 614-45-9 | 1-3 |
| Polyglycol dimethacrylate | 25852-47-5 | 1-3 |

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

| | |
|---------------------------|---|
| General advice | No information available. |
| Eye Contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| Skin Contact | Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. |
| Inhalation | Move to fresh air. |
| Ingestion | Clean mouth with water and afterwards drink plenty of water. |
| Notes to physician | Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

| | | | |
|---|---------------------------------|-----------------------|----------------------|
| Flash Point 50 °F / 10 °C | Method Seta closed cup | | |
| Upper: No data available | Lower: No data available | | |
| Suitable Extinguishing Media | | | |
| Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. | | | |
| Specific hazards arising from the chemical | | | |
| The product causes burns of eyes, skin and mucous membranes. | | | |
| Protective Equipment and Precautions for Firefighters | | | |
| As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear. | | | |
| NFPA | Health 3 | Flammability 3 | Instability 2 |
| HMIS | Health 3 | Flammability 3 | Instability 2 |

6. ACCIDENTAL RELEASE MEASURES

| | |
|----------------------------------|--|
| Personal Precautions | Ensure adequate ventilation. |
| Environmental Precautions | Prevent further leakage or spillage if safe to do so. |
| Methods for Containment | No information available. |
| Methods for Cleaning Up | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). |
| Neutralizing Agent | Not applicable. |

7. HANDLING AND STORAGE

| | | | | |
|----------------------------|--|--------------------------|----------------|--------------------------|
| Handling | Ensure adequate ventilation. | | | |
| Storage | Keep containers tightly closed in a dry, cool and well-ventilated place. | | | |
| Storage Temperature | Minimum | No information available | Maximum | No information available |
| Storage Conditions | Indoor | Outdoor | Heated | Refrigerated |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH |
|---------------------------|------------------------------|--|--|
| Methyl methacrylate | TWA: 50 ppm STEL: 100 ppm | TWA: 100 ppm TWA: 410 mg/m ³ | 1000 ppm TWA: 100 ppm TWA: 410 mg/m ³ |
| Styrene-butadiene polymer | 3 mg/m ³ PNOS | 5 mg/m ³ PNOR | No data available |
| Methacrylic acid | TWA: 20 ppm | No data available | TWA: 20 ppm TWA: 70 mg/m ³ |

| | |
|---------------------------------------|--|
| Engineering Measures | Ensure adequate ventilation, especially in confined areas. |
| Personal Protective Equipment | |
| Eye/Face Protection | Safety glasses with side-shields. |
| Skin Protection | For prolonged or repeated contact, use protective gloves with appropriate chemical resistance. |
| Respiratory Protection | In case of insufficient ventilation wear suitable respiratory equipment. |
| General Hygiene Considerations | Handle in accordance with good industrial hygiene and safety practice. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|---------------------------------|---------------------------------|----------------------------------|--------------------------|
| Physical state | Liquid | Viscosity | Non viscous |
| Color | White | Odor | Pungent |
| Odor Threshold | Not applicable | Appearance | Opaque |
| pH | Not applicable | Specific Gravity | 1.04 |
| Evaporation Rate | No information available | Percent Volatile (Volume) | No information available |
| VOC Content (%) | 1.82 | VOC Content (g/L) | 18.4 |
| Vapor Pressure | No information available | Vapor Density | 3.5 (Air = 1.0) |
| Solubility | Slightly soluble | n-Octanol/Water Partition | No data available |
| Melting Point/Range | No data available | Decomposition Temperature | No data available |
| Boiling Point/Range | 214 °F / 101 °C | Flammability (solid, gas) | No data available |
| Flash Point | 50 °F / 10 °C | Method | Seta closed cup |
| Autoignition Temperature | No information available. | | |
| Upper: No data available | Lower: No data available | | |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Chemical Stability | Stable under normal conditions. |
| Conditions to Avoid | None known. |
| Incompatible Products | No materials to be especially mentioned. |
| Decomposition Temperature | No data available |
| Hazardous Decomposition Products | None under normal use. |
| Possibility of Hazardous Reactions | None under normal processing. |

11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|------------------------|--------------------------|
| Oral LD50 | 3.157 |
| Dermal LD50 | 2443 |
| Inhalation LC50 | |
| Gas | No information available |
| Mist | No information available |
| Vapor | 28.49 |

Principle Route of Exposure Skin contact, Inhalation.

Primary Routes of Entry Skin contact.

Acute Effects:

| | |
|-------------------|---|
| Eyes | May cause slight irritation. |
| Skin | Substance may cause slight skin irritation. |
| Inhalation | May cause irritation of respiratory tract. |
| Ingestion | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Chronic Toxicity No information available.

Target Organ Effects No information available.

Aggravated Medical Conditions No information available.

Component Information

Acute Toxicity

| Component | Oral LD50 | Dermal LD50 | Inhalation LC50 | Draize Test | Other |
|---------------------------------------|----------------------|--------------------------------|------------------------|-------------------|-------------------|
| Methyl methacrylate 80-62-6 | = 7900 mg/kg (Rat) | no data available | = 4632 ppm (Rat) 4 h | No data available | No data available |
| Methacrylic acid 79-41-4 | = 1060 mg/kg (Rat) | 500 - 1000 mg/kg (Rabbit) | = 7.1 mg/L (Rat) 4 h | No data available | No data available |
| tert-Butyl peroxybenzoate 614-45-9 | = 1012 mg/kg (Rat) | no data available | No data available | No data available | No data available |

| Component | Mutagenicity | Sensitization | Developmental Toxicity | Reproductive Toxicity | Target Organ Effects |
|--------------------------------|-------------------|--------------------|------------------------|-----------------------|------------------------------|
| Methyl methacrylate 80-62-6 | No data available | Skin sensitization | No data available | No data available | Skin Eyes Respiratory system |
| Methacrylic acid 79-41-4 | No data available | No data available | No data available | No data available | Skin Eyes Respiratory system |

Carcinogenicity There are no known carcinogenic chemicals in this product.

| Component | ACGIH | IARC | NTP | OSHA | Other |
|--|----------------|---------|----------------|----------------|----------------|
| Methyl methacrylate 80-62-6 | not applicable | Group 3 | not applicable | not applicable | not applicable |
| Styrene-butadiene polymer 9003-55-8 | not applicable | Group 3 | not applicable | not applicable | not applicable |

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

| Component | Toxicity to Algae | Toxicity to Fish | Microtox | Crustacea | log Pow |
|---------------------|--|---|--------------------------|-------------------------------------|---------|
| Methyl methacrylate | EC50 = 170 mg/L Pseudokirchneriella subcapitata 96 h | LC50 243 - 275 mg/L Pimephales promelas 96 h LC50 125.5 - 190.7 mg/L Pimephales promelas 96 h LC50 170 - 206 mg/L Lepomis macrochirus 96 h LC50 153.9 - 341.8 mg/L Lepomis macrochirus 96 h LC50 > 79 mg/L Oncorhynchus mykiss 96 h LC50 326.4 - 426.9 mg/L Poecilia reticulata 96 h | No information available | 69: 48 h Daphnia magna mg/L EC50 | 0.7 |
| Methacrylic acid | No information available. | No information available. | No information available | No information available. | 0.93 |

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

13. DISPOSAL CONSIDERATIONS**Product Disposal**

Dispose of in accordance with local regulations.

Container Disposal

Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION**DOT**

Proper Shipping Name CONSUMER COMMODITY
Hazard Class ORM-D
Description CONSUMER COMMODITY, ORM-D

TDG

Proper shipping name ADHESIVES
Hazard Class 3
UN-No UN1133
Packing Group II
Description UN1133, ADHESIVES, 3, II, LTD QTY

ICAO

UN-No UN1133
Proper Shipping Name ADHESIVES
Hazard Class 3
Packing Group II
Shipping Description UN1133, ADHESIVES, 3, PG II, LTD QTY

IATA

UN-No UN1133
Proper Shipping Name ADHESIVES
Hazard Class 3
Packing Group II
Shipping Description UN1133, ADHESIVES, 3, PG II, LTD QTY

IMDG/IMO

Proper Shipping Name ADHESIVES
Hazard Class 3
Packing Group II
Description UN1133, ADHESIVES, 3, PG II, LTD QTY

15. REGULATORY INFORMATION

Inventories

TSCA Complies
 DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

| Acute Health Hazard | Chronic Health Hazard | Fire Hazard | Sudden Release of Pressure Hazard | Reactive Hazard |
|---------------------|-----------------------|-------------|-----------------------------------|-----------------|
| No | No | No | No | No |

CERCLA None

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|---------------------|--------------------------|----------------|
| Methyl methacrylate | 1000 lb | Not applicable |

U.S. State Regulations

California Proposition 65 This product does not contain any Proposition 65 chemicals.

16. OTHER INFORMATION

Prepared By Christopher Drogin
 Supersedes Date Not applicable
 Issuing Date 06/24/2016
 Reason for Revision No information available.
 Glossary No information available.
 List of References. No information available.

Mega Metals,Partsmaster,Div of NCH Corp.assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Safety Data Sheet MEGA-SHOT JOLT PART B

Supersedes Date Not applicable

Issuing Date 06/24/2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name MEGA-SHOT JOLT PART B

Recommended use Adhesives

Information on Manufacturer

Mega Metals,Partsmaster,Div of NCH Corp.

P.O. Box 655326

Dallas, TX 75265-5326

Product Code PMN57573

Chemical nature Methacrylate

Emergency Telephone Number

CHEMTREC® 800-424-9300

Telephone inquiry

800-336-0450

2. HAZARD IDENTIFICATION

Color Blue

Physical state Liquid

Odor Pungent

GHS

Classification

Physical Hazards

Flammable liquids

Health Hazard

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Skin sensitization

Specific target organ systemic toxicity (single exposure)

Category 4

Category 2

Category 2

Category 1

Category 3

Other hazards

None

Labeling

Signal Word

DANGER



Hazard statements

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H315 - Causes skin irritation

H332 - Harmful if inhaled

H317 - May cause an allergic skin reaction

H335 - May cause respiratory irritation

Precautionary Statements

P210 - Keep away from heat, sparks, open flames or hot surfaces.

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, ventilating and lighting equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P271 - Use in a well-ventilated area.

P261 - Avoid breathing vapor, mist or dust.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves, protective clothing and eye protection.

P264 - Wash face, hands and any exposed skin thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists, get medical attention.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower

P363 - Wash contaminated clothing before reuse

P333 + P313 - If skin irritation or rash occurs, get medical attention

P301+ P312 - IF SWALLOWED: Call a physician if unwell

P330 - Rinse mouth

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P312 - Call a physician if unwell.

P403 + P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up

P370+P378 In case of fire, use dry chemical extinguisher or flush with large amounts of

water for extinction.
 P501 - Dispose of contents and container in accordance with applicable local regulations.

5 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Component | CAS No. | Weight % * |
|---|------------|------------|
| Methyl methacrylate | 80-62-6 | 60-80 |
| Styrene-butadiene polymer | 9003-55-8 | 30-40 |
| 3,5-Diethyl-1-phenyl-2-propyl-1,2-dihydropyridine | 34562-31-7 | 1-5 |

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General advice No information available.
Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation Move to fresh air.
Ingestion Clean mouth with water and afterwards drink plenty of water.
Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point 50 °F / 10 °C
Upper: No data available
Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards arising from the chemical The product causes burns of eyes, skin and mucous membranes.
Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.
NFPA Health 2 Flammability 3 Instability 1
HMIS Health 2 Flammability 3 Instability 1
Method Seta closed cup
Lower: No data available

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Ensure adequate ventilation.
Environmental Precautions Prevent further leakage or spillage if safe to do so.
Methods for Containment No information available.
Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Neutralizing Agent Not applicable.

7. HANDLING AND STORAGE

Handling Ensure adequate ventilation.
Storage Keep containers tightly closed in a dry, cool and well-ventilated place.
Storage Temperature Minimum No information available Maximum No information available
Storage Conditions Indoor Outdoor Heated Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH |
|---------------------------|------------------------------|--|--|
| Methyl methacrylate | TWA: 50 ppm STEL: 100 ppm | TWA: 100 ppm TWA: 410 mg/m ³ | 1000 ppm TWA: 100 ppm TWA: 410 mg/m ³ |
| Styrene-butadiene polymer | 3 mg/m ³ PNOS | 5 mg/m ³ PNOR | No data available |

Engineering Measures Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment
Eye/Face Protection Safety glasses with side-shields.
Skin Protection For prolonged or repeated contact, use protective gloves with appropriate chemical resistance.
Respiratory Protection In case of insufficient ventilation wear suitable respiratory equipment.
General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|---|---------------------------|----------------------------------|--------------------------|
| Physical state | Liquid | Viscosity | Non viscous |
| Color | Blue | Odor | Pungent |
| Odor Threshold | Not applicable | Appearance | Opaque |
| pH | Not applicable | Specific Gravity | 0.97 |
| Evaporation Rate | No information available | Percent Volatile (Volume) | No information available |
| VOC Content (%) | 1.82 | VOC Content (g/L) | 18.4 |
| Vapor Pressure | 29.25 mmHg @ 20 °C | Vapor Density | 3.5 (Air = 1.0) |
| Solubility | Slightly soluble | n-Octanol/Water Partition | No data available |
| Melting Point/Range | No data available | Decomposition Temperature | No data available |
| Boiling Point/Range | 214 °F / 101 °C | Flammability (solid, gas) | No data available |
| Flash Point | 50 °F / 10 °C | Method | Seta closed cup |
| Autoignition Temperature | No information available. | | |
| Upper: No data available Lower: No data available | | | |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Chemical Stability | Stable under normal conditions. |
| Conditions to Avoid | None known. |
| Incompatible Products | No materials to be especially mentioned. |
| Decomposition Temperature | No data available |
| Hazardous Decomposition Products | None under normal use. |
| Possibility of Hazardous Reactions | None under normal processing. |

11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|------------------------|--------------------------|
| Oral LD50 | No information available |
| Dermal LD50 | 4941 |
| Inhalation LC50 | |
| Gas | No information available |
| Mist | No information available |
| Vapor | 18.72 |

| | |
|--------------------------------------|---|
| Principle Route of Exposure | None reasonably foreseeable. |
| Primary Routes of Entry | None known. |
| Acute Effects: | |
| Eyes | May cause slight irritation. |
| Skin | Substance may cause slight skin irritation. |
| Inhalation | May cause irritation of respiratory tract. |
| Ingestion | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |
| Chronic Toxicity | No information available. |
| Target Organ Effects | No information available. |
| Aggravated Medical Conditions | No information available. |

Component Information

Acute Toxicity

| Component | Oral LD50 | Dermal LD50 | Inhalation LC50 | Draize Test | Other |
|--------------------------------|----------------------|-------------------|------------------------|-------------------|-------------------|
| Methyl methacrylate 80-62-6 | = 7900 mg/kg (Rat) | no data available | = 4632 ppm (Rat) 4 h | No data available | No data available |

| Component | Mutagenicity | Sensitization | Developmental Toxicity | Reproductive Toxicity | Target Organ Effects |
|--------------------------------|-------------------|--------------------|------------------------|-----------------------|------------------------------|
| Methyl methacrylate 80-62-6 | No data available | Skin sensitization | No data available | No data available | Skin Eyes Respiratory system |

Carcinogenicity There are no known carcinogenic chemicals in this product.

| Component | ACGIH | IARC | NTP | OSHA | Other |
|--|----------------|---------|----------------|----------------|----------------|
| Methyl methacrylate 80-62-6 | not applicable | Group 3 | not applicable | not applicable | not applicable |
| Styrene-butadiene polymer 9003-55-8 | not applicable | Group 3 | not applicable | not applicable | not applicable |

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

| Component | Toxicity to Algae | Toxicity to Fish | Microtox | Crustacea | log Pow |
|---------------------|--|---|--------------------------|-------------------------------------|---------|
| Methyl methacrylate | EC50 = 170 mg/L Pseudokirchneriella subcapitata 96 h | LC50 243 - 275 mg/L Pimephales promelas 96 h LC50 125.5 - 190.7 mg/L Pimephales promelas 96 h LC50 170 - 206 mg/L Lepomis macrochirus 96 h LC50 153.9 - 341.8 mg/L Lepomis macrochirus 96 h LC50 > 79 mg/L Oncorhynchus mykiss 96 h LC50 326.4 - 426.9 mg/L Poecilia reticulata 96 h | No information available | 69: 48 h Daphnia magna mg/L EC50 | 0.7 |

Persistence and Degradability No information available.
Bioaccumulation No information available.
Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.
Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT
Proper Shipping Name CONSUMER COMMODITY
Hazard Class ORM-D
UN-No UN1133
Packing Group II
Description CONSUMER COMMODITY, ORMD-D

TDG
Proper shipping name ADHESIVES
Hazard Class 3
UN-No UN1133
Packing Group II
Description UN1133, ADHESIVES, 3, PG II, LTD QTY

ICAO
UN-No UN1133
Proper Shipping Name ADHESIVES
Hazard Class 3
Packing Group II
Shipping Description UN1133, ADHESIVES, 3, PG II, LTD QTY

IATA
UN-No UN1133
Proper Shipping Name ADHESIVES
Hazard Class 3
Packing Group II
Shipping Description UN1133, ADHESIVES, 3, PG II, LTD QTY

IMDG/IMO
Proper Shipping Name ADHESIVES
Hazard Class 3
UN-No UN1133
Packing Group II
Description UN1133, ADHESIVES, 3, PG II, LTD QTY

15. REGULATORY INFORMATION

Inventories
TSCA Complies
DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

| Acute Health Hazard | Chronic Health Hazard | Fire Hazard | Sudden Release of Pressure Hazard | Reactive Hazard |
|---------------------|-----------------------|-------------|-----------------------------------|-----------------|
| No | No | No | No | No |

| CERCLA | | None | |
|---------------------|--------------------------|----------------|--|
| Component | Hazardous Substances RQs | CERCLA EHS RQs | |
| Methyl methacrylate | 1000 lb | Not applicable | |

U.S. State Regulations
California Proposition 65 This product does not contain any Proposition 65 chemicals.

16. OTHER INFORMATION

Prepared By Christopher Drogin
Supersedes Date Not applicable
Issuing Date 06/24/2016
Reason for Revision No information available.
Glossary No information available.
List of References. No information available.

Mega Metals,Partsmaster,Div of NCH Corp.assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.