

SAFETY DATA SHEET

VERSION
May30/07PRINTED ON
8/5/2013**Section 1 Company and Product Identification**

3D INTERNATIONAL 20724 Centre Pointe Parkway, Santa Clarita CA 91350 Emergency Tel (888) 999-7627

In Case of an Emergency Contact CHEMTREC 1-800-424-9300 (US and Canada) All other locations call 01-707-703-527-3887

Product Code and Name 913 Odor Eliminator

Section 2 Ingredients

Chemical Name:	% IN PRODUCT	PEL/OSHA	TLV-ACGIH	CAS NUMBER	CARCINOGEN
Isopropyl Alcohol-Biodegradable	1 to 2.5	400 ppm	500 ppm	67-63-0	N/E
Alcohol ethoxylate	1 to 3	1 ppm	1 ppm	84133-50-6	N/E
Sodium Xylene Sulfonate	4 to 7	N/E	N/E	1300-72-7	N/E

Section 3 Hazards Identification: No significant effects**Primary routes of entry:** Inhalation, Eyes**Section 4 First Aid Measures:**

No special first aid measures, but if symptoms persist call a physician

Section 8 Exposure Controls Personal Protection**Permissible Exposure Level:** See Section 2 under PEL/OSHA

Eyes:	Wash eyes immediately with large amounts of water.	Prolonged exposure can cause irritation.
Skin:	Wash contacted areas with mild soap and water.	Prolonged exposure can cause irritation.
Inhalation:	Move person to fresh air at once. If breathing has stopped, get medical attention immediately.	Prolonged exposure can cause headache, and respiratory irritation.
Ingestion:	Do not induce vomiting. If person is conscious, give water. Get medical attention.	Gastrointestinal irritation.

Section 5 Fire Fighting Measures

NFPA CODES: Health 1 Flammability: 0 Reactivity: 0 Special Hazard:

Extinguishing Media: Regular Foam, Waterfog, Carbon Dioxide, or Dry Chemicals**Hazardous Decomposition:** Oxides of carbon or traces of hydrocarbons may be formed in small amounts.**Special Fire Fighting Procedures:** Clear fire area of unprotected personnel. Do not enter confined fire area without full bunker gear as well as positive pressure breathing**Unusual Fire / Explosion Hazards:** N/L**Section 6 Accidental Release Measures**

Use Gloves, Goggles, Boots and Breathing Mask. Small amounts do not need special measures. Clean up with water. For large spills remove all sources of ignition. Ventilate area. Absorb with an inert absorbent material. Avoid runoff into drains and sewers. All used and unused product should be disposed of in conformance with local, state, and federal regulations

Section 7 Handling and Storage: Always use Gloves and Splash Goggles.

Store materials tightly closed and away from sunlight, warm confined spaces, heat and open flame. Never weld on or near containers either empty or full. Secure all chemicals out of the reach of children.

Section 8: See next to Section 4. Section 9 Physical and Chemical Properties

Boiling/Flash Point: >212 °F / >275 °F Specific Gravity(Water=1): 1.03 Vapor Pressure (mmHg): >1 (volatile) %Evaporation: 90
Vapor Density(Air=1): ND Solubility: 100% Evaporation Rate: >Water Appearance/Odor: Dark Green liquid, Apple Scent
pH 7 Volatile Organic Compound (VOC) content for Consumer Products Applications: Percent by weight: 2.5%

Section 10 Stability and Reactivity**Hazardous Polymerization:** Will Not Occur.
Stability: Stable. **Incompatibility:** Strong oxidizing agents or acid.**Section 11 Toxicological Information : Not Known. See Section 8. Skin Eyes: may cause Irritation, rash and redness. Inhalation: may cause drowsiness****Section 12 Ecological Information: Not determined****Section 13 Disposal Considerations: Always use Gloves and Goggles. Do not dispose product into drains or sewers.**

This product is not a hazardous waste. Therefore no disposal method should be used. However disposal should be in accordance with applicable regional, national and local laws and regulations

Section 14 Transport Information Department of Transportation regulations: USA DOT not regulated**Section 15 Regulatory Information : No Ingredient regulated****Section 16 Other Information**

Protective Equipment: If PEL or TLV limits, listed in Section 2, are exceeded a NIOSH/OSHA approved air respirator is advised. These respirators should not be used for an extended period of time. A dust mask should be used when using a buffing machine. High speeds of buffing machines throw chemical dust into the air.

Sufficient mechanical ventilation should be used to maintain exposure levels below PEL and TLV limits in Section 2.

Chemical resistant gloves are always recommended as some chemicals may not only do damage to the skin but may also be a threat through absorption.

Chemical resistant splash goggles are recommended when using liquid chemicals, or using a high speed buffing machine.

NA=Not Applicable N/E=Not Established ND=Not Determined NR=Not Regulated N/L=Not Listed VP=Vapor Pressure IARC=International Agency for Research on Cancer

Disclaimer of Liability

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The Conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.

Section 1 Identification

Product Code and Name: 913 Odor Eliminator
Company Name and Address: 3D INTERNATIONAL 20724 Centre Pointe Parkway, Santa Clarita CA 91350
Business Phone: 888-999-7627
Emergency Telephone Number: CHEMTREC 1-800-424-9300 (US) All other locations 01-661-250-2020

Section 2 Hazards Identification

Classification of the Substance or Mixture: 1)ACUTE TOXICITY:ORAL Category5 , 2)EYE DAMAGE/IRRITATION Category2B

GHS label elements: *No Symbol*

Signal Word: Warning

Hazard Statement: 1) H303 May be harmful if swallowed. 2)H320 Causes eye irritation

Precautionary Statements:

Prevention : Wash hands thoroughly after handling.

Response : IF SWALLOWED: Call a POISON CENTER or a doctor/physician if you feel unwell. Rinse mouth.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.If eye irritation persists: Get medical attention.

Storage: Keep closed and away from children.

Section 3 Composition/Information on ingredients:

Substance/Mixture: Mixture
Product Description: Odor Eliminator

Chemical Name:	CAS NUMBER	% IN PRODUCT
Isopropyl Alcohol-Biodegradable	67-63-0	1 to 2.5
Ethoxylated Alcohol	68439-46-3	2 to 5
Sodium Xylene Sulfonate	1300-72-7	4 to 7
Blend	Scent FW	< 2
Deionized Water	7732-18-5	85 to 90

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8

Section 4 First Aid Measures:

Description of necessary first aid measures

Eye contact :	Wash eyes immediately with large amounts of water.
Inhalation:	Move person to fresh air at once. If breathing has stopped, get medical attention immediately.
Skin contact:	No first aid should be needed, however if irritation occurs wash contacted areas with mild soap and water.
Ingestion:	Do not induce vomiting. If person is conscious, give water. Get medical attention.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact:	Prolonged exposure can cause irritation.
Inhalation:	Fine mist may cause irritation of the nose and throat.
Skin contact:	Prolonged exposure can cause irritation.
Ingestion:	Gastrointestinal irritation.

Over-exposure signs/Symptoms

Eye contact:	Adverse symptoms may include the following:	Irritation
Inhalation:	Adverse symptoms may include the following:	No significant effect
Skin contact:	Adverse symptoms may include the following:	No significant effect
Ingestion:	Adverse symptoms may include the following:	Gastrointestinal irritation

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled
Specific treatments:	No specific treatment
Protection of first -aiders:	No action should be taken involving any personal risk or without suitable training. Wash contaminated clothing thoroughly with water before removing it.

Section 5 Fire Fighting Measures

Extinguishing Media

Suitable extinguishing media	Not a fire hazard
Unsuitable extinguishing media	None known
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

Special protective actions for fire-fighters	If there is a fire, Promptly isolate the scene by removing all persons from the vicinity of the incident..
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Hazardous Decomposition:	None
Special Fire Fighting Procedures:	None
Unusual Fire / Explosion Hazards:	None

Section 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flares in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in for "For non-emergency personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air)

Methods and materials for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment. Dispose via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use spark-proof tools and explosion-proof equipment. Dispose via a licensed waste contractor. Contaminated absorbent material may pose the same hazard as

Use Gloves, Goggles, Boots and Breathing Mask. Small amounts do not need special measures. Clean up with water. For large spills remove all sources of ignition. Ventilate area. Absorb with an inert absorbent material. Avoid runoff into drains and sewers. All used and unused product should be disposed of in conformance with local, state, and federal regulations

Section 7 Handling and Storage

Precautions for safe handling: Put on appropriate protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternate made from a compatible material, keep tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Do not reuse container. Wash thoroughly after use.

Conditions for safe storage: Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Do not store in unlabeled containers either empty or full. Secure all chemicals out of the reach of children.

Section 8: Exposure Controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	CAS #	PEL/OSHA	TLV-ACGIH
Isopropyl Alcohol-Biodegradable	67-63-0	400 ppm	500 ppm
Ethoxylated Alcohol	68439-46-3	Not Applicable	Not Applicable
Sodium Xylene Sulfonate	1300-72-7	Not Established	Not Established
Blend	Scent FW	Not Determined	Not Determined
Deionized Water	7732-18-5	Not Applicable	Not Applicable

Appropriate engineering controls: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants

Individual protection measures

Hygiene Measures: Wash hands forearms and face thoroughly after handling chemical products

Eye/face protection: None

Skin protection: None

Respiratory protection: None

Section 9: Physical and chemical properties

Physical state	Dark Green liquid, Appl	Specific Gravity:	1.03
Color:	Dark Green	Vapor Pressure:	>1 (volatile)
Odor:	Apple	Volatiles:	100%
pH:	7	Vapor Density:	Not Determined
Boiling Point:	>212 °F	Solubility:	100%
Flash point:	None	Evaporation Rate:	>Water

Volatile Organic Compound (VOC) content for Consumer Products Applications Percent by weight: 2.5%

Section 10. Stability and reactivity

Reactivity:	No specific test data related to reactivity available for this product or its ingredients
Chemical stability:	The product is stable
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur
Conditions of instability:	When exposed to high temperatures vcolors may fade and bottles may panel
Conditions to avoid:	No specific data
Hazardous decomposition products:	Under normal conditions of storage and use, hahardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity Not classified

Irritation/corrosion

<u>Eyes</u>	<u>Skin</u>	<u>Inhalation</u>	<u>Ingestion</u>
Irritation	No significant effect	No significant effect	Gastrointestinal irritation

<u>Sensitization</u>	There is no data available
<u>Mutagenicity</u>	There is no data available
<u>Carcinogenicity</u>	There is no data available
Reproductive toxicity	There is no data available
<u>Teratogenecity</u>	There is no data available
<u>Specific target organ toxicity (single exposure)</u>	There is no data available
<u>Specific target organ toxicity (repeated exposure)</u>	There is no data available
Aspiration hazard	There is no data available

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects	Not available
Potential delayed effects	Not available

Long term exposure

Potential immediate effects	Not available
Potential delayed effects	Not available

Potential Chronic health effects

General	Not known significant effects or critical hazards
Carcinogenicity	Not known significant effects or critical hazards
Mutagenicity	Not known significant effects or critical hazards
Teragenicity	Not known significant effects or critical hazards
Developmental effects	Not known significant effects or critical hazards
Fertility effects	Not known significant effects or critical hazards

Section 12. Ecological information

Toxicity:	Not available
Persistence and degradability:	Not available
Bioaccumulative potential	Not available
Mobility in soil: soil/water partition coefficient (Koc):	Not available
Other adverse effects:	No known significant effects or critical hazards

Section 13. Disposal considerations

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the sewer but processes in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT	IMDG	IATA
UN number	Not regulated	Not regulated	Not regulated
UN proper shipping name	None	None	None
Transport hazard class(es)	Not classified as Hazardous for Transport	Not classified as Hazardous for Transport	Not classified as Hazardous for Transport
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	No	No	No
Special precautions for user	Not available	Not available	Not available
Additional information			

Special precautions for user Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Not listed
Clean Air Act Section 602 Class I Substances	Not listed
Clean Air Act Section 602 Class II Substances	Not listed
DEA List I Chemicals (Precursor Chemicals)	Not listed
DEA List II Chemicals (Essential Chemicals)	Not listed
SARA 302/304/311/312 extremely hazardous substances:	Not applicable
SARA 302/304 emergency planning and notification:	Not Applicable
SARA 302/304/311/312 hazardous chemicals:	No products were found

Section 16. Other information

Version	May/2015	NFPA Ratings: Health	1
Date of issue	5/21/2015	Flammability	0
		Reactivity	0

Disclaimer of Liability:
 The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The Conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.