



## SUMA® BREAK UP® SC Heavy Duty Foaming Grease-Release Cleaner

Revision: 2020-09-06

Version: 01.0

### 1. IDENTIFICATION

**Product name:** SUMA® BREAK UP® SC  
Heavy Duty Foaming Grease-Release Cleaner

**Product Code:** 95192347

**SDS #:** MS0801041

**Recommended use:**

- Industrial/Institutional
- Heavy Duty Cleaner and Degreaser

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249 SDS Internet Address: <a href="https://sds.diversey.com">https://sds.diversey.com</a>	Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171
--	---

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion/irritation	Category 1C
Serious eye damage/eye irritation	Category 1
Metal Corrosion:	Category 1



**Signal word:** Danger.

#### Hazard Statements

**CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.**

#### Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with strong alkaline products resulting in spattering and excessive heat.

**Health hazards not otherwise classified (HHNOC)** - Not applicable  
**Physical hazards not otherwise classified (PHNOC)** - Not applicable

**Classification for the diluted product** @ 1:60

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

**Hazard and Precautionary Statements**

None required.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Classified Ingredients**

Ingredient(s)	CAS #	Weight %
Alcohol, C9-C11, ethoxylated	68439-46-3	3 - 7%
Cocamidopropyl betaine	61789-40-0	3 - 7%
Lauryl dimethyl amine oxide	1643-20-5	1 - 5%
Disodium metasilicate pentahydrate	10213-79-3	1 - 5%
Potassium hydroxide	1310-58-3	1 - 5%
Sodium chloride	7647-14-5	0.5 - 1.5%
Potassium Citrate	866-84-2	> 0.1 - < 1%
Amine, Coco alkyldimethyl, N-oxide	61788-90-7	> 0.1 - < 1%

**4. FIRST AID MEASURES**

**Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed** Not applicable.

**Diluted Product:**

**Eyes:** Rinse with plenty of water.

**Skin:** No specific first aid measures are required

**Inhalation:** No specific first aid measures are required

**Ingestion:** IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

**5. FIRE-FIGHTING MEASURES**

**Specific methods:** No special methods required

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:** Corrosive material (See sections 8 and 10).

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions and clean-up methods:** Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

**7. HANDLING AND STORAGE**

**Handling:** Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. Do not mix with other products or chemicals except as directed on the label. Mix only with water. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Absorb spillage to prevent material damage. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Store in corrosive-resistant container with a resistant inner liner.

**Aerosol Level (if applicable):** Not applicable.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines:

Ingredient(s)	CAS #	ACGIH	OSHA
Potassium hydroxide	1310-58-3	2 mg/m <sup>3</sup> (Ceiling)	

### Undiluted Product:

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

#### Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

<b>Eye protection:</b>	Chemical-splash goggles.
<b>Hand protection:</b>	Chemical-resistant gloves.
<b>Skin and body protection:</b>	Protective footwear. Wear suitable protective clothing.
<b>Respiratory protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

### Diluted Product:

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

#### Personal Protective Equipment

<b>Eye protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hand protection:</b>	No personal protective equipment required under normal use conditions.
<b>Skin and body protection:</b>	No personal protective equipment required under normal use conditions.
<b>Respiratory protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid

**Evaporation Rate:** No information available

**Odor threshold:** No information available.

**Melting point/range:** Not determined

**Autoignition temperature:** No information available

**Solubility in other solvents:** No information available

**Density: Specific gravity:** 1.053 Kg/L

**Bulk density:** No information available

**Flash point (°F):** > 200 °F > 93 °C

**Viscosity:** No information available

**VOC:** 0 % \*

**Flammability (Solid or Gas):** Not applicable

**Sustained combustion:** Not applicable

**Explosion limits: - upper:** Not determined - **lower:** Not determined

**Color:** Clear Pale Yellow

**Odor:** Surfactant

**Boiling point/range:** Not determined

**Decomposition temperature:** Not determined

**Solubility:** Completely Soluble

**Relative Density (relative to water):** 1.053

**Vapor density:** No information available

**Vapor pressure:** No information available.

**Partition coefficient (n-octanol/water):** No information available

**Elemental Phosphorus:** 0.00 % by wt.

**pH:** > 11

**Corrosion to metals:** Metal corrosive

### Dilution pH:

≈ 11.36

**Dilution Flash Point (°F):** > 200 °F > 93.4 °C

**VOC % by wt. at use dilution:** 0 %

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	Not Applicable
<b>Stability:</b>	The product is stable
<b>Possibility of hazardous reactions:</b>	May vigorously react with acids resulting in spattering and excessive heat.
<b>Hazardous decomposition products:</b>	None reasonably foreseeable.
<b>Materials to avoid:</b>	Acids. Strong acids. Do not mix with any other product or chemical unless specified in the use directions.
<b>Conditions to avoid:</b>	None known.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Unlikely to be irritant in normal use.

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):** None known

### Numerical measures of toxicity

**ATE - Oral (mg/kg):** >5000

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products (undiluted product):** This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Waste from residues / unused products (diluted product):** This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**RCRA Hazard Class (undiluted product):** D002 Corrosive Waste

**RCRA Hazard Class (diluted product):** Not Regulated

**Contaminated Packaging:** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your

shipment.

**DOT (Ground) Bill of Lading Description:** UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (disodium trioxosilicate, potassium hydroxide), 8, III

**IMDG (Ocean) Bill of Lading Description:** UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (disodium trioxosilicate, potassium hydroxide), 8, III

## 15. REGULATORY INFORMATION

### International Inventories at CAS# Level

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Alcohol, C9-C11, ethoxylated	68439-46-3	-	-	-	-
Cocamidopropyl betaine	61789-40-0	-	-	-	-
Lauryl dimethyl amine oxide	1643-20-5	-	-	-	-
Disodium metasilicate pentahydrate	10213-79-3	-	-	-	-
Potassium hydroxide	1310-58-3	X	X	X	X
Sodium chloride	7647-14-5	-	-	-	-
Potassium Citrate	866-84-2	-	-	-	-
Amine, Coco alkyldimethyl, N-oxide	61788-90-7	-	-	-	-

### CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Potassium hydroxide	1310-58-3	1 - 5%	1000		

## 16. OTHER INFORMATION

### NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3

Flammability 0

Instability 0

Special Hazards -

### Diluted Product:

Health 0

Flammability 0

Instability 0

Special Hazards -

Revision: 2020-09-06

Version: 01.0

Reason for revision:

Not applicable

Prepared by:

North American Regulatory Affairs

Additional advice:

• Does not contain an added fragrance

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*